

NEW TRIASSIC LITERATURE

Geoffrey Warrington

Honorary Visiting Fellow, Department of Geology, The University of Leicester, LE1 7RH, UK;
Email: gwarrington@btinternet.com

- Abdala, F., Jasinowski, S.C. & Fernandez, V. 2013. Ontogeny of the Early Triassic cynodont *Thrinaxodon liorhinus* (Therapsida): dental morphology and replacement. *Journal of Vertebrate Paleontology*, 33(6): 1408–1431.
- Abdala, F., Marsicano, C.A., Smith, R.M.H. & Swart, R. 2013. Strengthening western Gondwanan correlations: a Brazilian dicynodont (Synapsida, Anomodontia) in the Middle Triassic of Namibia. *Gondwana Research*, 23(3): 1151–1162.
- Abrajevitch, A., Hori, R.S. & Kodama, K. 2013. Rock magnetic record of the Triassic-Jurassic transition in pelagic bedded chert of the Inuyama section, Japan. *Geology*, 41(7): 803–806.
- Abrantes Júnior, F.R. & Nogueira, A.C.R. 2013. Palaeoenvironmental reconstitution of Motuca and Sambaiba formations, Permian-Triassic of the Parnaíba Basin in southwest Maranhão State, Brazil. *Geologia USP, Série Científica*, 13(3): 65–82.
- Abu Hamad, A.M.B., Jasper, A. & Uhl, D. 2013. Charcoal remains from the Mukheiris Formation of Jordan – the first evidence of palaeowildfire from the Anisian (Middle Triassic) of Gondwana. *Jordan Journal of Earth and Environmental Sciences*, 5: 17–22.
- Adams, C.J., Korsch, R.J. & Griffin, W.L. 2013. Provenance comparisons between the Nambucca Block, Eastern Australia and the Torlesse Composite Terrane, New Zealand: Connections and implications from detrital zircon age patterns. *Australian Journal of Earth Sciences*, 60(2): 241–253.
- Adams, C.J., Mortimer, N., Campbell, H.J. & Griffin, W.L. 2013. Detrital zircon geochronology and sandstone provenance of basement Waipapa Terrane (Triassic-Cretaceous) and Cretaceous cover rocks (Northland Allochthon and Houhora Complex) in northern North Island, New Zealand. *Geological Magazine*, 150(1): 89–109.
- Al Gahtani, F. 2013. The influence of diagenetic alterations on porosity in the Triassic Narrabeen Group, southern Sydney Basin, Australia. *Geological Quarterly*, 57: 613–628.
- Al-Husseini, M.I. & Koehler, B. 2013. Chrono- and sequence-stratigraphy of the Mid-Permian to Early Triassic Khuff sequences of the Arabian Plate. *GeoArabia*, 18(3): 103–130.
- Alaug, A.S. & El-Nakhal, H.A. 2013. Nomenclature review of the rock units in the stratigraphic lexicon of Yemen. *Iranian Journal of Earth Sciences*, 5(2): 82–99.
- Aleali, M., Rahimpour-Bonab, H., Moussavi-Harami, R. & Jahani, D. 2013. Environmental and sequence stratigraphic implications of anhydrite textures: a case from the Lower Triassic of the Central Persian Gulf. *Journal of Asian Earth Sciences*, 75: 110–125.
- Algeo, T.J., Fraiser, M.L., Wignall, P.B. & Winguth, A.M.E. 2013. Permian-Triassic paleoceanography. *Global and Planetary Change*, 105: 1–6.
- Algeo, T.J., Henderson, C.M., Jinnan Tong, Qinglai Feng, Hongfu Yin & Tyson, R.V. 2013. Plankton and productivity during the Permian-Triassic boundary crisis: an analysis of organic carbon fluxes. *Global and Planetary Change*, 105: 52–67.
- Álvarez, J., Mpodozis, C., Blanco-Quintero, I., Garcia-Casco, A., Arriagada, C. & Morata, D. 2013. U-Pb ages and metamorphic evolution of the La Pampa gneisses: implications for the evolution of the Chilenia Terrane and Permo-Triassic tectonics of north Central Chile. *Journal of South American Earth Sciences*, 47: 100–115.
- Ambrose, K. 2013. Breedon Hill. *Mercian Geologist* 18(2): 139–143.
- Anderson, K. & Woods, A.D. 2013. Taphonomy of Early Triassic fish fossils of the Vega-Phroso Siltstone Member of the Sulphur Mountain Formation near Wapiti Lake, British Columbia, Canada. *Journal of Palaeogeography*, 2(4): 321–343.
- Angiolini, L., Zanchi, A., Zanchetta, S., Nicora, A. & Vezzoli, G. 2013. The Cimmerian geopuzzle: new data from South Pamir. *Terra Nova*, 25(5): 352–360.
- Apaldetti, C., Pol, D. & Yates, A. 2013. The postcranial anatomy of *Coloradisaurus brevis* (Dinosauria: Sauropodomorpha) from the Late Triassic of Argentina and its phylogenetic implications. *Palaeontology*, 56(2): 277–301.
- Aretz, M. & Hesselbo, S. 2013. Global Stratotype Sections and Points (GSSP) and Stratotypes. *Ciências da Terra*, 18: 35–40.
- Aristov, D.S. 2013. New Grylloblattida (Insecta) from the Upper Permian and Lower Triassic of European Russia and Kazakhstan. *Paleontological Journal*, 47(1): 66–76.
- Armitage, P.J., Worden, R.H., Faulkner, D.R., Aplin, A.C., Butcher, A.R. & Espie, A.A. 2013. Mercia Mudstone Formation caprock to carbon capture and storage sites:

- petrology and petrophysical characteristics. *Journal of the Geological Society, London*, 170(1): 119–132.
- Arp, G. 2013. Geologie von Göttingen und Umgebung (Exkursion D am 4. April 2013) [Geology of Göttingen and surrounding area]. *Jahresberichte und Mitteilungen des Oberrheinischen Geologischen Vereins*, 95: 71–90.
- Arratia, G. 2013. Morphology, taxonomy and phylogeny of Triassic pholidophorid fishes (Actinopterygii, Teleostei). *Journal of Vertebrate Paleontology*, 33, Supplement 1: 1–138.
- Ash, S.R. & Hasiotis, S.T. 2013. New occurrences of the controversial Late Triassic plant fossil *Sanmiguelia* Brown and associated ichnofossils in the Chinle Formation of Arizona and Utah, USA. *Neues Jahrbuch für Geologie und Paläontologie – Abhandlungen*, 268(1): 65–82.
- Asvesta, A. & Dimitriadis, S. 2013. Magma-sediment interaction during the emplacement of syn-sedimentary silicic and mafic intrusions and lavas into and onto Triassic strata (Circum-Rhodope Belt, northern Greece). *Geologica Carpathica*, 64(3): 191–194.
- Axsmith, B.J., Fraser, N.C. & Corso, T. 2013. A Triassic seed with an angiosperm-like wind dispersal mechanism. *Palaeontology*, 56(5): 1173–1177.
- Bacon, K.L., Belcher, C.M., Haworth, M. & McElwain, J.C. 2013. Increased atmospheric SO₂ detected from changes in leaf physiognomy across the Triassic-Jurassic boundary interval of East Greenland. *PLoS ONE*, 8(4): e60614. doi:10.1371/journal.pone.0060614.
- Baczko, M.B. von & Ezcurra, M.D. 2013. Ornithosuchidae: a group of Triassic archosaurs with a unique ankle joint. *Geological Society, London, Special Publications*, 379: 187–202.
- Bai-Qiu Wang, Mei-Fu Zhou, Wei Terry Chen, Jian-Feng Gao & Dan-Ping Yan. 2013. Petrogenesis and tectonic implications of the Triassic volcanic rocks in the northern Yidun Terrane, Eastern Tibet. *Lithos*, 175–176: 285–301.
- Bai-Qiu Wang, Wei Wang & Mei-Fu Zhou. 2013. Provenance and tectonic setting of the Triassic Yidun Group, the Yidun Terrane, Tibet. *Geoscience Frontiers*, 4(6): 765–777.
- Bai-Qiu Wang, Wei Wang, Wei Terry Chen, Jian-Feng Gao, Xin-Fu Zhao, Dan-Ping Yan & Mei-Fu Zhou. 2013. Constraints of detrital zircon U-Pb ages and Hf isotopes on the provenance of the Triassic Yidun Group and tectonic evolution of the Yidun Terrane, eastern Tibet. *Sedimentary Geology*, 289: 74–98.
- Bai Yu-bin, Luo Jing-lan, Liu Xin-ju, Jin Wen-qi & Wang Xiao-jun. 2013. Geochemical characteristics of crude oil and oil source correlation in Yanchang Formation (Upper Triassic) in Wubao area, Ordos Basin. *Acta Sedimentologica Sinica*, 31(2): 374–383.
- Bai Yun-shan, Duan Qi-fa, Niu Zhi-jun, Tu Bing & Zeng Bo-fu. 2013. Geological characteristics and tectonic significance of volcanic rocks from Kenan Formation of the Upper Triassic in Zhahe area, southern Qinghai Province. *Journal of Geology and Mineral Resources of South China*, 2013(2): 100–104.
- Bandel, K. & Abu Hamad, A.M.B. 2013. Permian and Triassic strata of Jordan. *In*, Tanner, L.H., Spielmann, J. A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 31–41.
- Banham, S.G. & Mountney, N.P. 2013. Controls on fluvial sedimentary architecture and sediment-fill state in salt-walled mini-basins: Triassic Moenkopi Formation, Salt Anticline region, SE Utah, USA. *Basin Research*, 25(6): 709–737.
- Banham, S.G. & Mountney, N.P. 2013. Evolution of fluvial systems in salt-walled mini-basins: a review and new insights. *Sedimentary Geology*, 296: 142–166.
- Banks, D., Withers, J.G., Cashmore, G. & Dimelow, C. 2013. An overview of the results of 61 *in situ* thermal response tests in the UK. *Quarterly Journal of Engineering Geology and Hydrogeology*, 46(3): 281–291.
- Barriónuevo, M.F., Arnosio, J.M. & Llambías, E.J. 2013. Nuevos datos geocronológicos en subsuelo y afloramientos del Grupo Choyoi en el oeste de La Pampa: Implicancias estratigráficas. *Revista de la Asociación Geológica Argentina*, 70(1): 31–39.
- Barth, G., Kozur, H.W., Franz, M. & Weems, R.E. 2013. *Paraconularia bachmanni* n. sp. from the Germanic Upper Triassic, the first fresh-water occurrence of a conularid. *In*, Tanner, L.H., Spielmann, J.A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 42–47.
- Baud, A. & Richoz, S. 2013. Permian-Triassic transition and the Saiq/Mahil boundary in the Oman Mountains: proposed correction for lithostratigraphic nomenclature. *GeoArabia*, 18(3): 87–98.
- Bazkurt, E., Winchester, J.A. & Satir, M. 2013. The Çele mafic complex: evidence for Triassic collision between the Sakarya and İstanbul Zones, NW Turkey. *Tectonophysics*, 595–596: 198–214.
- Beardmore, S.R., Orr, P.J. & Furrer, H. 2013. Large scale environmental gradients as a control on the skeletal taphonomy of Ichthyopterygia. *The Palaeontological Association Newsletter*, 84; Annual Meeting Programme and Abstracts: 24.
- Bedi, Y., Vasilev, E., Dabovski, C., Ergen, A., Okuyucu, C., Doğan, A., Kağan-Tekin, U., Ivanova, D., Boncheva, I., Lokova, I., Sachanski, V., Kuşçu, I., Tuncay, E., Demiray, G. D., Soyacan, H. & Göncüoğlu, M.C. 2013. New age data from the tectonostratigraphic units of the Istranca “Massif” in NW Turkey: a correlation with SE Bulgaria. *Geologica Carpathica*, 64(4): 255–277.
- Beltrán-Triviño, A., Winkler, W. & Von Quadt, A. 2013. Tracing Alpine sediment sources through laser ablation U–Pb dating and Hf-isotopes of detrital zircons. *Sedimentology*, 60(1): 197–224.
- Bennett, S.C. 2013. The phylogenetic position of the Pterosauria within the Archosauromorpha re-examined. *Historical Biology*, 25(5–6): 545–563.
- Benton, M.J., Qiyue Zhang, Shixue Hu, Zhong-Qiang Chen, Wen Wen, Jun Liu, Jinyuan Huang, Changyong Zhu, Tao Xie, Jinnan Tong & Choo, B. 2013. Exceptional vertebrate biotas from the Triassic of China, and the expansion of marine ecosystems after the Permo-Triassic mass extinction. *Earth-Science Reviews*, 125: 199–243.

- Benton, M.J., Ruta, M., Dunhill, A.M. & Sakamoto, M. 2013. The first half of tetrapod evolution, sampling proxies, and fossil record quality. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 372: 18–41.
- Bergene, J.A., Taylor, E.L. & Taylor, T.N. 2013. *Dordrechtites arcanus* sp. nov., an anatomically preserved gymnospermous reproductive structure from the Middle Triassic of Antarctica. *International Journal of Plant Sciences*, 174(2): 250–265.
- Bernardi, M., Petti, F.M., Porchetti, S.d'O. & Avanzini, M. 2013. Large tridactyl footprints associated with a diverse ichnofauna from the Carnian of the southern Alps. *In*, Tanner, L.H., Spielmann, J.A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 48–54.
- Bialik, O.M., Korngreen, D. & Benjamini, C. 2013. Carnian (Triassic) aridization on the Levant margin: evidence from the M1 member, Mohilla Formation, Makhtesh Ramon, south Israel. *Facies*, 59(3): 559–581.
- Bin Wang, Guowei Zhang & Zhenyu Yang. 2013. New Mesozoic paleomagnetic results from the northeastern Sichuan basin and their implication. *Tectonophysics*, 608: 418–427.
- Bittencourt, J.S., Stock da Rosa, Á.A., Schultz, C.L. & Langer, M.C. 2013. Dinosaur remains from the 'Botucaraí Hill' (Caturrita Formation), Late Triassic of south Brazil, and their stratigraphic context. *Historical Biology*, 25(1): 81–93.
- Blackburn, T.J., Olsen, P.E., Bowring, S.A., McLean, N.M., Kent, D.V., Puffer, J., McHone, G., Rasbury, E.T. & Et-Touhami, M. 2013. Zircon U-Pb geochronology links the end-Triassic extinction with the Central Atlantic Magmatic Province. *Science*, 340(6135): 941–945.
- Blanchard, S., Rossignol, C., Bourquin, S., Dabard, M.-P., Hallot, E., Nalpas, T., Poujol, M., Battail, B., Jalil, N.-E., Steyer, J.-S., Vacant, R., Vérán, M., Bercovici, A., Diez, J.B., Paquette, J.-L., Khenthavong, B. & Vongphamany, S. 2013. Late Triassic volcanic activity in South-East Asia: New stratigraphical, geochronological and paleontological evidence from the Luang Prabang Basin (Laos). *Journal of Asian Earth Sciences*, 70-71: 8–26.
- Błażejowski, B., Duffin, C.J., Gieszczyk, P., Malkowski, K., Binkowski, M., Walczak, M., McDonald, S.A. & Withers, P.J. 2013. *Saurichthys* (Pisces, Actinopterygii) teeth from the Lower Triassic of Spitsbergen, with comments on their stable isotope composition ($\delta^{13}\text{C}$ and $\delta^{18}\text{O}$) and X-ray microtomography. *Polish Polar Research*, 34(1): 23–38.
- Bo Chen, Joachimski, M.M., Shu-zhong Shen, Lambert, L.L., Xu-long Lai, Xing-dong Wang, Jun Chen & Dong-xun Yuan. 2013. Permian ice volume and palaeoclimate history; oxygen isotope proxies revisited. *Gondwana Research*, 24(1): 77–89.
- Boekhout, F., Sempere, T., Spikings, R. & Schaltegger, U. 2013. Late Paleozoic to Jurassic chronostratigraphy of coastal southern Peru: temporal evolution of sedimentation along an active margin. *Journal of South American Earth Sciences*, 47: 179–200.
- Bogan, S., Taverne, L. & Agnolin, F. 2013. First Triassic and oldest record of a South American amiiform fish: *Caturus* sp. from the Los Menucos Group (lower Upper Triassic), Rio Negro province, Argentina. *Geologica Belgica*, 16(3): 191–195.
- Bomfleur, B., Decombeix, A.-L., Escapa, I.H., Schwendemann, A.B. & Axsmith, B. 2013. Whole-plant concept and environment reconstruction of a *Telemachus* conifer (Voltziales) from the Triassic of Antarctica. *International Journal of Plant Sciences*, 174(3): 425–444.
- Bomfleur, B., Escapa, I.H., Serbet, R., Taylor, E.L. & Taylor, T.N. 2013. A reappraisal of *Neocalamites* and *Schizoneura* (fossil Equisetales) based on material from the Triassic of East Antarctica. *Alcheringa*, 37(3): 349–365.
- Bonaparte, J.F. 2013. Evolution of the Brasilodontidae (Cynodontia-Eucynodontia). *Historical Biology*, 25(5–6): 643–653.
- Bondarenko, L.G., Buryi, G.I., Zakharov, Y.D., Bushkareva, X.Y. & Popov, A.M. 2013. Late Smithian (Early Triassic) conodonts from Artyom, South Primorye, Russian Far East. *In*, Tanner, L.H., Spielmann, J.A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 53–66.
- Boonchaisuk, S., Siripunvaraporn, W. & Ogawa, Y. 2013. Evidence for middle Triassic to Miocene dual subduction zones beneath the Shan-Thai terrane, western Thailand from magnetotelluric data. *Gondwana Research*, 23(4): 1607–1616.
- Boro, H., Bertotti, G. & Hardebol, N.J. 2013. Distributed fracturing affecting isolated carbonate platforms, the Latemar Platform Natural Laboratory (Dolomites, North Italy). *Marine and Petroleum Geology*, 40: 69–84.
- Bortolotti, V., Chiari, M., Marroni, M., Pandolfi, L., Principi, G. & Saccani, E. 2013. Geodynamic evolution of ophiolites from Albania and Greece (Dinaric-Hellenic belt): one, two, or more oceanic basins? *International Journal of Earth Sciences*, 102(3): 783–811.
- Boulila, S., Galbrun, B. & Gardin, S. 2013. Cyclostratigraphy and recent developments in the astronomical calibration of the Geological Time Scale. *Ciências da Terra*, 18: 29–34.
- Bozkaya, Ö. & Yalçın, H. 2013. Geochemical monitoring of clays for diagenetic evolution of the Paleozoic-Lower Mesozoic sequence in the northern Arabian plate: Hazro and Amanos regions, Southeastern Turkey. *Journal of African Earth Sciences*, 86: 10–24.
- Brack, P. & Kustatscher, E. 2013. *Voltzia recubariensis* from the uppermost Angolo Limestone of the Bagolino succession (Southern Alps of Eastern Lombardy, Italy). *GeoAlp*, 10: 61–70.
- Bragin, N.Yu. & Bragina, L.G. 2013. Morphological characteristics of Boreal radiolarians from the Triassic and Late Cretaceous: comparative analysis. *Paleontological Journal*, 47(4): 351–362.
- Brandes, C., Schmidt, C., Tanner, D.C. & Winsemann, J. 2013. Paleostress pattern and salt tectonics within a developing foreland basin (north-western Subhercynian Basin, northern Germany). *International Journal of Earth Sciences*, 102(8): 2239–2254.
- Brandner, R. & Krystyn, L. 2013. Bericht 2012 über

- Profilaufnahmen und biostratigraphische Probenbearbeitungen in der Mitteltrias der Nördlichen Kalkalpen (Karwendelgebirge) auf Blatt 2223 Innsbruck und auf Blatt 2217 Hinteriß. Jahrbuch der Geologischen Bundesanstalt, Wien, 153(1–4): 417–420.
- Brayard, A., Bylund, K.G., Jenks, J.F., Stephen, D.A., Olivier, N., Escarguel, G., Fara, E. & Vennin, E. 2013. Smithian ammonoid faunas from Utah: implications for Early Triassic biostratigraphy, correlation and basinal paleogeography. *Swiss Journal of Palaeontology*, 132(2): 141–219.
- Brayard, A. & Escarguel, G. 2013. Untangling phylogenetic, geometric and ornamental imprints on Early Triassic ammonoid biogeography: a similarity-distance decay study. *Lethaia*, 46(1): 19–33.
- Brookfield, M.E., Algeo, T.J., Hannigan, R., Williams, J. & Bhat, G.M. 2013. Shaken *and* stirred: seismites and tsunamites at the Permian-Triassic boundary, Guryul Ravine, Kashmir, India. *Palaios*, 28(8): 568–582.
- Brosse, M., Brayard, A., Fara, E. & Niege, P. 2013. Ammonoid recovery after the Permian-Triassic mass extinction: a re-exploration of morphological and phylogenetic diversity patterns. *Journal of the Geological Society, London*, 170(2): 225–236.
- Brosse, M., Goudemand, N., Frisk, A.M., Baud, A., Bagherpour, B. & Bucher, H. 2013. New conodonts from the Griesbachian microbialite in South China: implications for an improved definition of the base of the Triassic. *The Palaeontological Association Newsletter*, 84; Annual Meeting Programme and Abstracts: 26–27.
- Brusatte, S.L., Butler, R.J., Niedźwiedzki, G., Sulej, T., Bronowicz, R. & Satkūnas, J. 2013. First record of Mesozoic terrestrial vertebrates from Lithuania: phytosaurs (Diapsida: Archosauriformes) of probable Late Triassic age, with a review of phytosaur biogeography. *Geological Magazine*, 150(1): 110–122.
- Buchs, D.M., Bagheri, S., Martin, L., Hermann, J. & Arculus, R. 2013. Paleozoic to Triassic ocean opening and closure preserved in Central Iran: Constraints from the geochemistry of meta-igneous rocks of the Anarak area. *Lithos*, 172–173: 267–287.
- Buono, G., Hadfield, L., Mitchell, C. & Twitchett, R.J. 2013. New information about a Triassic brachiopod association from Oman. *The Palaeontological Association Newsletter*, 84; Annual Meeting Programme and Abstracts: 64.
- Burchfiel, B.C. & Chen Zhiliang (eds). 2013. Tectonics of the southeastern Tibetan Plateau and its adjacent foreland. *Geological Society of America Memoirs*, 210: vii+231pp.
- Butler, R.J. 2013. '*Francosuchus trauthi* is not *Paleorhinus*: implications for Late Triassic vertebrate biostratigraphy. *Journal of Vertebrate Paleontology*, 33(4): 858–864.
- Cadée, G.C. 2013. Can Recent traces help in recognising probable jellyfish remains from the Muschelkalk of Winterswijk? a comment. *Netherlands Journal of Geosciences*, 192(4): 301–302.
- Caifu Xiang, Xiongqi Pang & Danišik, M. 2013. Post-Triassic thermal history of the Tazhong Uplift Zone in the Tarim Basin, Northwest China: evidence from apatite fission-track thermochronology. *Geoscience Frontiers*, 4(6): 743–754.
- Callegaro, S., Marzoli, A., Bertrand, H., Chiaradia, M., Reisberg, L., Meyzen, C., Bellieni, G., Weems, R.E. & Merle, R. 2013. Upper and lower crust recycling in the source of the CAMP basaltic dykes from southeastern North America. *Earth and Planetary Science Letters*, 376: 186–199.
- Canfield, D.E. 2013. Sulfur isotopes in coal constrain the evolution of the Phanerozoic sulphur cycle. *Proceedings of the National Academy of Sciences*, 110(21): 8443–8446.
- Čar, J. 2013. Ladinian skonca beds of the Idrija ore deposit. *Geologija*, 56(2): 151–174.
- Carroll, A.R., Dumitru, T.A., Graham, S.A. & Hendrix, M.S. 2013. An 800 million-year detrital zircon record of continental amalgamation: Tarim basin, NW China. *International Geology Review*, 55(7): 818–829.
- Carter, E.S. & Orchard, M.J. 2013. Intercalibration of conodont and radiolarian faunas from the Carnian-Norian boundary interval in Haida Gwaii, British Columbia, Canada. *In*, Tanner, L.H., Spielmann, J.A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 67–92.
- Cather, S.M., Zeigler, K.E., Mack, G.H. & Kelley, S.A. 2013. Toward standardization of Phanerozoic stratigraphic nomenclature in New Mexico. *Rocky Mountain Geology*, 48(2): 101–124.
- Catlos, E.J., Huber, K. & Shin, T.A. 2013. Geochemistry and geochronology of meta-igneous rocks from the Tokat Massif, north-central Turkey: implications for Tethyan reconstructions. *International Journal of Earth Sciences*, 102(8): 2175–2198.
- Cavin, L., Furrer, H. & Obrist, C. 2013. New coelacanth material from the Middle Triassic of eastern Switzerland, and comments on the taxic diversity of actinistians. *Swiss Journal of Geology*, 106(2): 161–177.
- Celarc, B., Goričan, S. & Kolar-Jurkovšek, T. 2013. Middle Triassic carbonate-platform break-up and formation of small-scale half-grabens (Julian and Kamnik-Savinja Alps, Slovenia). *Facies*, 59(3): 583–610.
- Cerda, I.A., Desojo, J.B., Scheyer, T.M. & Schultz, C.L. 2013. Osteoderm microstructure of "rauisuchian" archosaurs from South America. *Geobios*, 46(4): 273–283.
- Chaloner, W.G. 2013. Three palynological puzzles. *International Journal of Plant Sciences*, 174(3): 602–607.
- Charvet, J. 2013. Late Paleozoic-Mesozoic tectonic evolution of SW Japan: a review – reappraisal of the accretionary orogeny and revalidation of the collisional model. *Journal of Asian Earth Sciences*, 72: 88–101.
- Chatalov, A. 2013. A Triassic homoclinal ramp from the Western Tethyan realm, Western Balkanides, Bulgaria: integrated insight with special emphasis on the Anisian outer to inner ramp facies transition. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 386: 34–58.
- Chatterjee, S., Tewari, R. & Agnihotri, D. 2013. A *Dicroidium* flora from the Triassic of Allan Hills, South Victoria Land, Transantarctic Mountains, Antarctica. *Alcheringa*, 37(2): 209–221.

- Chatzaras, V., Dörr, W., Finger, F., Xypolias, P. & Zulauf, G. 2013. U-Pb single zircon ages and geochemistry of metagranitoid rocks in the Cycladic Blueschists (Evia Island): implications for the Triassic tectonic setting of Greece. *Tectonophysics*, 595-596: 125–139.
- Chemberski, H.I. & Botoucharov, N.D. 2013. Triassic lithostratigraphic correlation in the Moesian Platform (Bulgaria–Romania). *Stratigraphy and Geological Correlation*, 21(6): 609–627.
- Chen Guo-chao, Pei Xian-zhi, Li Rui-bao, Li Zuo-chen, Pei Lei, Liu Zhan-qing, Chen You-xin & Liu Cheng-jun, 2013. Late Triassic EKOB magma mixing: a granodiorite pluton and (not translated) case study. *Geology in China*, 2013/4: 1044–1065.
- Chen Xiaohong, Sander, M.P., Cheng Long & Wang Xiaofeng. 2013. A new Triassic primitive ichthyosaur from Yunnan, South China. *Acta Geologica Sinica*, 87(3): 672–677.
- Chen Xiao-hong, Wei Kai, Zhang Bao-ming & Cheng Long. 2013. Guanling group Yongning Town Lower Triassic carbon isotope stratigraphy and marine chemical oxidation events. *Geology in China*, 2013/5: 1466–1473.
- Cheng Ji, Da-Yong Jiang, Motani, R., Wei-Cheng Hao, Zuo-Yu Sun & Tao Cai. 2013. A new juvenile specimen of *Guanlingsaurus* (Ichthyosauria, Shastasauridae) from the Upper Triassic of southwestern China. *Journal of Vertebrate Paleontology*, 33(2): 340–348.
- Chenshou Chun, Liu Jun, Liu Yi Sha, Liu Dong Xi, Pujun Wei, Liu Fei & Han Jian. 2013. Reservoir characteristics of 2nd member of Jialingjiang Formation in Fuchengzhai structure of east Sichuan. *Advances in Geosciences*, 3(4): 214–220.
- Chiari, M., Baumgartner, P.O., Bernoulli, D., Bortolotti, V., Marcucci, M. & Photiades, A. 2013. Late Triassic, Early and Middle Jurassic Radiolaria from ferromanganese-chert 'nodules' (Angelokastron, Argolis, Greece): evidence for prolonged radiolarite sedimentation in the Maliac-Vardar Ocean. *Facies*, 59(2): 391–424.
- Choulet, F., Yan Chen, Cogné, J.-P., Rabillard, A., Bo Wang, Wei Lin, Faure, M. & Cluzel, D. 2013. First Triassic palaeomagnetic constraints from Junggar (NW China) and their implications for the Mesozoic tectonics in Central Asia. *Journal of Asian Earth Sciences*, 78: 371–394.
- Chrzastek, A. 2013. Trace fossils from the Lower Muschelkalk of Raciborowice Górne (North Sudetic Synclinorium, SW Poland) and their palaeoenvironmental interpretation. *Acta Geologica Polonica*, 63(3): 315–353.
- Chu Mei-juan, Li Shi-xiang, Liu Xian-yang, Deng Xiu-qin & Guo Zheng-quan. 2013. Accumulation mechanisms and modes of Yanchang Formation Chang 8 interval hydrocarbons in Ordos Basin. *Acta Sedimentologica Sinica*, 31(4): 683–692.
- Chunbo Yan, Wang L., Haishui Jing, Wignall, P.B., Yadong Sun, Yanlong Chen & Xulong Lai. 2013. Uppermost Permian to Lower Triassic conodonts at Bianyang section, Guihzou Province, South China. *Palaios*, 28(8): 509–522.
- Clapham, M.E., Fraiser, M.L., Marenco, P.J. & Shu-zhong Shen. 2013. Taxonomic composition and environmental distribution of post-extinction rhynchonelliform brachiopod faunas: Constraints on short-term survival and the role of anoxia in the end-Permian mass extinction. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 374: 284–292.
- Clarke, J. 2013. Feathers before flight. *Science*, 340(6133): 690–692.
- Clarkson, M.O., Richoz, S., Wood, R.A., Maurer, F., Krystyn, L., McGurty, D.J. & Astratti, D. 2013. A new high-resolution $\delta^{13}\text{C}$ record for the Early Triassic: insights from the Arabian Platform. *Gondwana Research*, 24(1): 233–242.
- Clémence, M.-E. & Hart, M.B. 2013. Proliferation of Oberhauserellidae during the recovery following the Late Triassic extinction: paleoecological implications. *Journal of Paleontology*, 87(6): 1004–1015.
- Cobbold, P.R., Zanella, A., Rodrigues, N. & Løseth, H. 2013. Bedding-parallel fibrous veins (beef and cone-in-cone): worldwide occurrence and possible significance in terms of fluid overpressure, hydrocarbon generation and mineralization. *Marine and Petroleum Geology*, 43: 1–20.
- Coram, R.A. & Radley, J.D. 2013. A chirothere footprint from the Otter Sandstone Formation (Middle Triassic, late Anisian) of Devon, UK. *Proceedings of the Geologists' Association*, 124(3): 520–524.
- Corfe, I., Smith, A., Hakkinen, T., Lammi, L., Nieminen, P., Kallonen, A., Hamalainen, K., Gill, P. & Jernvall, J. 2013. The developmental basis of 200 million year old mammal teeth. *The Palaeontological Association Newsletter*, 84; Annual Meeting Programme and Abstracts: 31.
- Crane, P. 2013. *Ginkgo – The Tree that Time Forgot*. Newhaven: Yale University Press: 404 pp.
- Császár, G., Szinger, B. & Piros, O. 2013. From continental platform towards rifting of the Tisza Unit in the Late Triassic to Early Cretaceous. *Geologica Carpathica*, 64(4): 279–290.
- Cuthbertson, R.S., Russell, A.P. & Anderson, J.S. 2013. Reinterpretation of the cranial morphology of *Utatusaurus hataii* (Ichthyopterygia) (Osawa Formation, Lower Triassic, Miyagi, Japan) and its systematic implications. *Journal of Vertebrate Paleontology*, 33(4): 817–830.
- Cuthbertson, R.S., Russell, A.P. & Anderson, J.S. 2013. Cranial morphology and relationships of a new grippidion (Ichthyopterygia) from the Vega-Phroso Siltstone Member (Lower Triassic) of British Columbia, Canada. *Journal of Vertebrate Paleontology*, 33(4): 831–847.
- Dalla Vecchia, F.M. 2013. Triassic pterosaurs. *Geological Society, London, Special Publications*, 379: 119–155.
- Dalla Vecchia, F.M. & Selden, P.A. 2013. A Triassic spider from Italy. *Acta Palaeontologica Polonica*, 58(2): 325–330.
- Dan Yong, Lin Liangbiao, Zhong Yijiang & Fan Yu. 2013. The conglomerate composition of the Fourth Member of Xujiahe Formation, Upper Triassic, in the front of Micang-Daba mountains, Sichuan, China: implications for provenance analysis. *Geological Review*, 59(1): 15–23.
- De Franca, M.A.G., Langer, M.C. & Ferigolo, J. 2013. The skull anatomy of *Decuriasuchus quartacolonina* (Pseudosuchia: Suchia: Loricata) from the Middle Triassic of Brazil. *Geological Society, London, Special Publications*, 379: 469–501.
- De Jersey, N.J. & McKeller, J.L. 2013. The palynology of the Triassic-Jurassic transition in southeastern Queensland, Australia, and correlation with New Zealand. *Palynology*, 37(1): 77–114.

- De-Bin Yang, Wen-Liang Xu, Yi-Gang Xu, Fu-Ping Pei & Feng Wang. 2013. Provenance of sediments from Mesozoic basins in western Shandong: implications for the evolution of the eastern North China Block. *Journal of Asian Earth Sciences*, 76: 12–29.
- De-Feng He, Wei-Guang Zhu, Hong Zhong, Tao Ren, Zhong-Jie Bai & Hong-Peng Fan. 2013. Zircon U-Pb geochronology and elemental and Sr-Nd-Hf isotopic geochemistry of the Daocheng granitic pluton from the Yidun arc, SW China. *Journal of Asian Earth Sciences*, 67–68: 1–17.
- Decarlis, A., Dallagiovanna, G., Lualdi, A., Maino, M. & Seno, S. 2013. Stratigraphical evolution of the Ligurian Alps between Variscan heritages and the Alpine Tethyan opening: a review. *Earth-Science Reviews*, 125: 43–68.
- Dehcheshmehi, S.M. & Adabi, M.H. 2013. Depositional facies and geochemistry of the Kangan Formation in the South Fars Field, Persian Gulf (Iran). *Carbonates and Evaporites*, 28(3): 297–307.
- Deng Xiu-qin, Luo An-xiang, Zhang Zhong-yi & Liu Xin. 2013. Geochronological comparison on Indosinian tectonic events between Qinling Orogeny and Ordos Basin. *Acta Sedimentologica Sinica*, 31(6): 939–953.
- Desojo, J.B., Heckert, A.B., Martz, J.W., Parker, W.G., Schoch, R.R., Small, B.J. & Sulej, T. 2013. Aetosauria: A clade of armoured pseudosuchians from the Upper Triassic continental beds. *Geological Society, London, Special Publications*, 379: 203–239.
- Di-Cheng Zhu, Zhi-Dan Zhao, Yaoling Niu, Yildirim Dilek, Zeng-Qian Hou & Xuan-Xue Mo. 2013. The origin and pre-Cenozoic evolution of the Tibetan Plateau. *Gondwana Research*, 23(4): 1429–1454.
- Dias-da-Silva, S. & Dias, E.V. 2013. A comprehensive survey of Triassic stereospondyls from southern Brazil with comments on their overall significance. *In*, Tanner, L.H., Spielmann, J.A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 93–102.
- Diedrich, C.G. 2013. Review of the Middle Triassic “sea cow” *Placodus gigas* (Reptilia) in Pangea’s shallow marine macroalgae meadows of Europe. *In*, Tanner, L.H., Spielmann, J.A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 103–131.
- Diedrich, C.G. 2013. Shallow marine sauropterygian reptile biodiversity and change in the Bad Sulza Formation (Illyrian, Middle Triassic) of central Germany, and a contribution to the evolution of *Nothosaurus* in the Germanic Basin. *In*, Tanner, L.H., Spielmann, J.A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 132–158.
- Diedrich, C.G. 2013. The marine pachypleurosaur *Serpianosaurus germanicus* nov. spec. – skeleton and isolated bone remains from the Pelsonian (Middle Triassic) of the European Germanic Basin carbonate intertidals and its paleobiology and taphonomy. *In*, Tanner, L.H., Spielmann, J.A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 159–168.
- Diedrich, C.G. 2013. The oldest “subaquatic flying” reptile in the world – *Pistosaurus longaevus* Mayer, 1839 (Sauropterygia) from the Middle Triassic of Europe. *In*, Tanner, L.H., Spielmann, J.A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 169–215.
- Diedrich, C.G. & Gradinaru, E. 2013. Distribution of basal Middle Triassic fossil reptile placodonts in the Germanic Basin and northern Tethys. *In*, Tanner, L.H., Spielmann, J.A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 216–227.
- Dobretsov, N.L., Polyansky, O.P., Reverdatto, V.V. & Babichev, A.V. 2013. Dynamics of the Arctic and adjacent petroleum basins: a record of plume and rifting activity. *Russian Geology and Geophysics*, 54(8): 888–902.
- Dobretsov, N.L., Vernikovskiy, V.A., Karyakin, Yu.V., Korago, E.A. & Simonov, V.A. 2013. Mesozoic-Cenozoic volcanism and geodynamic events in the Central and Eastern Arctic. *Russian Geology and Geophysics*, 54(8): 874–887.
- Dong Li-yang, Li Jun, Ning Kuo-bu, Ren Fei, Wang Jian, Wang Peng, Zhou Ye-xin & Zu Guang-fu. 2013. The alluvial fan-delta depositional systems in the Lower Triassic Qingtianbao Formation, Junmachang, Eryuan, western Yunnan. *Sedimentary Geology and Tethyan Geology*, 33(4): 6–15.
- Dong Li-yang, Wang Jian, Wang Peng, Yin Fu-guang & Zhou Ye-xin. 2013. The storm deposits from the Middle Triassic Beiya Formation in the Beiya region, western Yunnan and their palaeogeographic implications. *Sedimentary Geology and Tethyan Geology*, 33(4): 16–21.
- Dongdong Liu, Jolivet, M., Wei Yang, Zuja Zhang, Feng Cheng, Bei Zhu & Zhaojie Guo. 2013. Latest Paleozoic-Early Mesozoic basin-range interactions in South Tian Shan (northwest China) and their tectonic significance: Constraints from detrital zircon. *Tectonophysics*, 599: 197–213.
- Donskaya, T.V., Gladkochub, D.P., Mazukabzov, A.M. & Ivanov, A.V. 2013. Late Paleozoic – Mesozoic subduction-related magmatism at the southern margin of the Siberian continent and the 150 million-year history of the Mongol-Okhotsk Ocean. *Journal of Asian Earth Sciences*, 62: 79–97.
- Du Yuansheng, Huang Hu, Yang Jianghai, Wang Hongwei, Tao Ping, Huang Zhiqiang, Hu Lisha & Xie Chunxia. 2013. The basin translation from Late Paleozoic to Triassic of the Youjiang Basin and its tectonic signification. *Geological Review*, 59(1): 1–11.
- Duan Zhi-ming, Li Guang-ming, Zhang Hui & Duan Yau-yao. 2013. Tibet Bangong – Nujiang suture zone north edge of dragons ore district Late Triassic–Jurassic accretionary complex structure and its constraints on the geological background. *Geological Bulletin of China*, 32(5): 742–750.
- Duffy, O.B., Gawthorpe, R.L., Docherty, M. & Brocklehurst, S.H. 2013. Mobile evaporite controls on structural style and evolution of rift basins: Danish Central Graben, North Sea.

- Basin Research, 25(3): 310–330.
- Dumitrica, P. 2013. Siamese twins and twin-like skeletons in Mesozoic Polycystine Radiolaria. *Revue de Micropaléontologie*, 56(2): 51–61.
- Dumitrica, P., Tekin, U.K. & Bedi, Y. 2013. Taxonomic study of the tetrahedral, pentagonal and hexagonal spongy spumellarian Radiolaria from the Middle Carnian (Late Triassic) of the Köseyahya nappe (Elbistan, SE Turkey) and other Triassic localities. *Paläontologische Zeitschrift*, 87(3): 311–343.
- Dumitrica, P., Tekin, U.K. & Bedi, Y. 2013. Taxonomic study of spongy spumellarian Radiolaria with three and four coplanar spines or arms from the Middle Carnian (Late Triassic) of the Köseyahya nappe (Elbistan, SE Turkey) and other Triassic localities. *Paläontologische Zeitschrift*, 87(3): 345–395.
- Dunhill, A.M., Benton, M.J., Newell, A.J. & Twitchett, R.J. 2013. Completeness of the fossil record and the validity of sampling proxies: a case study from the Triassic of England and Wales. *Journal of the Geological Society, London*, 170(2): 291–300.
- Durand, M. & Bourquin, S. 2013. Criteria for the identification of ventifacts in the geological record: a review and new insights. *Comptes Rendus Geoscience*, 345(3): 111–125.
- Dustira, A.M., Wignall, P.B., Joachimski, M., Blomeier, D., Hartkopf-Fröder, C. & Bond, D.P.G. 2013. Gradual onset of anoxia across the Permian-Triassic boundary in Svalbard, Norway. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 374: 303–313.
- Eggsleder, M. & Fügenschuh, B. 2013. Pre-Alpine fold interference patterns in the north-eastern Oetztal–Stubai–Complex (Tyrol, Austria). *Austrian Journal of Earth Sciences*, 106(2): 63–74.
- Elsner, M., Schöner, R., Gerdes, X. & Gaupp, R. 2013. Reconstruction of the early Mesozoic plate margin of Gondwana by U-Pb ages of detrital zircons from northern Victoria Land, Antarctica. *Geological Society, London, Special Publications*, 383: 211–232.
- Esrafil-Dizaji, B., Harchegani, F.K., Rahimpour-Bonab, H. & Kamali, M. 2013. Controls on reservoir quality in the Early Triassic Kangan Formation, Iran. *In*, Pöppelreiter, M.C. (ed.), *Permo-Triassic Sequences of the Arabian Plate*. EAGE Publications bv.: 219–245.
- Esrafil-Dizaji, B. & Rahimpour-Bonab, H. 2013. A review of Permo-Triassic reservoir rocks in the Zagros area, SW Iran: influence of the Qatar – Fars Arch. *Journal of Petroleum Geology*, 36(3): 257–279.
- Ezcurra, M.D., Butler, R.J. & Gower, D.J. 2013. ‘Proterosuchia’: the origin and early history of Archosauriformes. *Geological Society, London, Special Publications*, 379: 9–33.
- Fang Qiang, Zhang Haijun, Wang Xunlian & Wang Jingya. 2013. The discovery of Early Triassic conodont in the Huashixia area of Maduo County, Qinghai Province, NW China and its significance. *Acta Micropalaeontologica Sinica*, 30(4): 423–425.
- Faqira, M.I., Bakheit, A.F., Tang, D.Z., Tan, W. & Ahmed, A. 2013. A review of the Permo-Triassic gas play in the Arabian Gulf region. *In*, Pöppelreiter, M.C. (ed.), *Permo-Triassic Sequences of the Arabian Plate*. EAGE Publications bv.: 163–198.
- Fei Li, Jiixin Yan, Algeo, T. & Xia Wu. 2013. Paleocceanographic conditions following the end-Permian mass extinction recorded by giant ooids (Moyang, South China). *Global and Planetary Change*, 105: 102–120.
- Feldman, H.R. 2013. *Menathyris wilsoni* (Brachiopoda), a new genus and species from the Middle Triassic (Ladinian) of southern Israel. *Annales Societatis Geologorum Poloniae*, 83(2): 81–85.
- Fernandez, V., Abdala, F., Carlson, K.J., Cook, D.C., Rubidge, D.S., Yates, A. & Tafforeau, P. 2013. Synchrotron reveals Early Triassic odd couple: injured amphibian and aestivating therapsid share burrow. *PLoS ONE*, 8(6): e64978. doi:10.1371/journal.pone.0064978.
- Fijałkowska-Mader, A. 2013. Impact of the environmental stress on the Late Permian palynoflora from Poland. *Biuletyn Państwowego Instytutu Geologicznego*, 452: 23–32.
- Fijałkowska-Mader, A. 2013. Palynostratigraphy, palaeoecology and palaeoclimate of the Late Permian and Triassic of the Nida Basin. *Biuletyn Państwowego Instytutu Geologicznego*, 454: 15–70.
- Fio, K., Sremac, J., Vlahovic, I., Velic, I. & Spangenberg, J.E. 2013. Permian deposits and the Permian-Triassic boundary in Croatia: palaeoclimatic implications based on palaeontological and geochemical data. *Geological Society, London, Special Publications*, 376: 539–548.
- Forchielli, A. & Pervesler, P. 2013. Phosphatic cuticle in thylacocephalans: A taphonomic case study of *Austriocaris* (Arthropoda, Thylacocephala) from the Fossil-Lagerstätte Polzberg (Reingraben shales, Carnian, Upper Triassic, Lower Austria). *Austrian Journal of Earth Sciences*, 106(1): 46–61.
- Forel, M.-B. 2013. The Permian-Triassic mass extinction: ostracods (Crustacea) and microbialites. *Comptes Rendus Geoscience*, 345(4): 203–211.
- Forel, M.-B., Crasquin, S., Hips, K., Kershaw, S., Collin, P.-Y. & Haas, J. 2013. Biodiversity evolution through the Permian-Triassic boundary event: ostracods from the Bükk Mountains, Hungary. *Acta Palaeontologica Polonica*, 58(1): 195–219.
- Forel, M.-B., Crasquin, S., Kershaw, S. & Collin, P.-Y. 2013. In the aftermath of the end-Permian extinction: the microbialite refuge? *Terra Nova*, 25(2): 137–143.
- Forke, H.C., Köhrer, B., Bendias, D., Walz, L. & Aigner, T. 2013. Biostratigraphy and biofacies of Khuff time-equivalent strata in the Al-Jabal Al-Akhdar area (Hajar Mountains), northern Oman. *In*, Pöppelreiter, M.C. (ed.), *Permo-Triassic Sequences of the Arabian Plate*. EAGE Publications bv.: 77–125.
- Foster, W.J. & Twitchett, R. 2013. Functional diversity across the Permian/Triassic boundary. *The Palaeontological Association Newsletter*, 84; *Annual Meeting Programme and Abstracts*: 70.
- Foth, C. & Rauhut, O.W.M. 2013. The Good, the Bad and the Ugly: the influence of skull reconstructions and intraspecific variability in studies of cranial morphometrics in theropods and basal saurischians. *PLoS ONE*, 8(8): e72007. doi:10.1371/journal.pone.0072007.
- Frankowiak, K., Mazur, M., Gothmann, A.M. & Stolarski, J.

2013. Diagenetic alteration of Triassic coral from the aragonite Konservat-Lagerstätte in Alakir Çay, Turkey: implications for geochemical measurements. *Palaios*, 28(6): 333–342.
- Franz, M., Henninger, M. & Barnasch, J. 2013. The strong diachronous Muschelkalk/Keuper facies shift in the Central European Basin: implications from the type-section of the Erfurt Formation (Lower Keuper, Triassic) and basin-wide correlations. *International Journal of Earth Sciences*, 102(3): 761–780.
- Fraser, N.C. & Furrer, H. 2013. A new species of *Macrocnemus* from the Middle Triassic of the eastern Swiss Alps. *Swiss Journal of Geology*, 106(2): 199–206.
- Fraser, N.C., Rieppel, O. & Li Chun. 2013. A long-snouted protorosaur from the Middle Triassic of southern China. *Journal of Vertebrate Paleontology*, 33(5): 1120–1126.
- Fröbisch, J. 2013. Vertebrate diversity across the end-Permian mass extinction – separating biological and geological signals. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 372: 50–61.
- Fu Jin-hua, Deng Xiu-qin, Chu Mei-juan, Zhang Hai-feng & Li Shi-xiang. 2013. Features of deepwater lithofacies, Yanchang Formation in Ordos Basin and its petroleum significance. *Acta Sedimentologica Sinica*, 31(5): 928–938.
- Fu, X., Wang, J., Tan, F., Feng, X. & Zeng, S. 2013. Minerals and potentially hazardous trace elements in the late Triassic coals from the Qiangtang Basin, China. *International Journal of Coal Geology*, 116–117: 93–105.
- Fulai Liu, Fang Wang, Pinghua Liu & Chaohui Liu. 2013. Multiple metamorphic events revealed by zircons from the Diancang Shan – Ailao Shan metamorphic complex, southeastern Tibetan Plateau. *Gondwana Research*, 24(1): 429–450.
- Gabtni, H., Jallouli, C., Mikus, K.L. & Turki, M.M. 2013. Geodynamics of the southern Tethyan margin in Tunisia and Maghrebian domain: new constraints from integrated geophysical study. *Arabian Journal of Geosciences*, 6(1): 271–286.
- Gaetani, M., Nicora, A., Henderson, C., Cirilli, S., Gale, L., Rettori, R., Vuolo, I. & Atudorei, V. 2013. Refinements in the Upper Permian to Lower Jurassic stratigraphy of Karakorum, Pakistan. *Facies*, 59(4): 915–948.
- Galán-Abellán, B., Alonso-Azcárate, J., Newton, R.J., Bottrell, S.H., Barrenechea, J.F., Benito, M.I., De la Horra, R., López-Gómez, J. & Luque, F.J. 2013. Sources of Sr and S in aluminium-phosphate-sulphate minerals in Early-Middle Triassic sandstones (Iberian Ranges, Spain) and paleoenvironmental implications for the west Tethys. *Journal of Sedimentary Research*, 83(5): 406–426.
- Galán-Abellán, B., Barrenechea, J.F., Benito, M.I., De la Horra, R., Luque, F.J., Alonso-Azcárate, J., Arche, A., López-Gómez, J. & Lago, M. 2013. Palaeoenvironmental implications of aluminium phosphate-sulphate minerals in Early-Middle Triassic continental sediments, SE Iberian Range (Spain). *Sedimentary Geology*, 289: 169–181.
- Galán-Abellán, B., López-Gómez, J., Barrenechea, J.F., Marzo, M., De la Horra, R. & Arche, A. 2013. The beginning of the Buntsandstein cycle (Early-Middle Triassic) in the Catalan Ranges, NE Spain: sedimentary and palaeogeographic implications. *Sedimentary Geology*, 296: 86–102.
- Gale, L., Kastelic, A. & Rožič, B. 2013. Taphonomic features of Late Triassic foraminifera from Mount Begunjšica, Karavanke Mountains, Slovenia. *Palaios*, 28(11): 771–792.
- Gale, L., Rettori, R., Martini, R. & Rožič, B. 2013. *Decapoolina* n. gen. (Miliolata, Milioporidae; Late Triassic), a new foraminiferal genus for “*Sigmoilina schaeferae*” Zaninetti, Altiner, Dager & Ducret, 1982. *Bollettino della Società Paleontologica Italiana*, 52(2): 81–93.
- Gallois, R.W. 2013. The relationship of stratigraphically controlled lithological variations in the Mercia Mudstone Group (Triassic) in South-West England to weathering processes and landslide mechanisms. *Geoscience in South-West England*, 13(2): 172–182.
- Gallois, R.W. 2013. Possible tetrapod burrows in the Mid Triassic Otter Sandstone Formation at Sidmouth, Devon, UK. *Geoscience in South-West England*, 13(2): 208–215.
- García-Lasanta, C., Oliva-Orcia, B., Román-Berdiel, T., Gil-Peña, I., Sánchez-Moya, Y. & Sopena, A. 2013. Tectonically controlled magnetic fabrics in the Triassic Iberian Basin. *Geogaceta*, 53: 53–56.
- Gardener, J.D. & DeMar, D.G. Jr. 2013. Mesozoic and Palaeocene lissamphibian assemblages of North America: a comprehensive review. *Palaeodiversity and Palaeoenvironments*, 93(4): 459–515.
- Gastaldo, R.A., Pludow, B.A. & Neveling, J. 2013. Mud aggregates from the Katberg Formation, South Africa: additional evidence of Early Triassic degradational landscapes. *Journal of Sedimentary Research*, 83(7): 531–540.
- Gattolin, G., Breda, A. & Preto, N. 2013. Demise of Late Triassic carbonate platforms triggered the onset of a tide-dominated depositional system in the Dolomites. *Sedimentary Geology*, 297: 31–37.
- Gaździcki, A. & Uchman, A. 2013. Facies provenance of the Rhaetian deposits in the “Nad Moreną” section (Przysłop Miętusi area): a correction of the Hronicum stratigraphy in the Tatra Mts. *Przegląd Geologiczny*, 60(6): 333–340.
- Ge Zhong-wei, Wei Li-min, Fan Li & Zhang Zhuang. 2013. Sources and sedimentary facies of the 2nd Member of Xujiahe Formation, Upper Triassic in Dayi area. *Journal of Geology and Mineral Resources of South China*, 2013(1): 72–78.
- Genming Luo, Yongbiao Wang, Grice, K., Kershaw, S., Algeo, T.J., Xiaoyan Ruan, Hao Yang, Chengling Jia & Shucheng Xie. 2013. Microbial-algal community changes during the latest Permian ecological crisis: evidence from lipid biomarkers at Cili, South China. *Global and Planetary Change*, 105: 36–51.
- Gibson, S.Z. 2013. A new hump-backed ginglymodian fish (Neopterygii, Semionotiformes) from the Upper Triassic Chinle Formation of southeastern Utah. *Journal of Vertebrate Paleontology*, 33(5): 1037–1050.
- Goswami, S. & Singh, K.J. 2013. Floral diversity and geology of the Talcher Basin, Orissa, India during the Permian-Triassic interval. *Geological Journal*, 48(1): 39–56.
- Goudemand, N., Roghi, G., Rigo, M., Brosse, M., Meier, M., Tafforeau, P. & Urdu, S. 2013. New evidence for a lamprey-like motion of the grasping elements of ozarkodinid conodonts.

- The Palaeontological Association Newsletter, 84; Annual Meeting Programme and Abstracts: 36.
- Granier, B. 2013. Micropaleontology from the STRATI 2013 perspective. *Ciências da Terra*, 18: 89–94.
- Granier, B., Lethiers, A. & Sander, N.J. 2013. The XXIst Century Edition of the “New studies on Triassic Siphoneae verticillatae by Julius von Pia”. *Jahrbuch der Geologischen Bundesanstalt*, Wien, 153(1–4): 239–300.
- Granier, B. & Sander, N.J. 2013. The XXIst Century (the 100th Anniversary) edition of “New studies on Triassic Siphoneae verticillatae” by Julius von PIA. *Carnets de Géologie*, CG2013 Bo 1, 108pp.
- Grasby, S.E., Beauchamp, B., Embry, A. & Sanei, H. 2013. Recurrent Early Triassic ocean anoxia. *Geology*, 41(2): 175–178.
- Grasby, S.E., Sanei, H., Beauchamp, B. & Zhuoheng Chen. 2013. Mercury deposition through the Permo-Triassic biotic crisis. *Chemical Geology*, 351: 209–216.
- Gregori, D. & Benedini, L. 2013. The Cordon del Portillo Permian magmatism, Mendoza, Argentina, plutonic and volcanic sequences at the western margin of Gondwana. *Journal of South American Earth Sciences*, 42: 61–73.
- Gretz, M., Lathuilière, B., Martini, R. & Bartolini, A. 2013. The Hettangian corals of the Isle of Skye (Scotland): an opportunity to better understand the paleoenvironmental conditions during the aftermath of the Triassic–Jurassic boundary crisis. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 376: 132–148.
- Griebeler, E.M. 2013. Body temperatures in dinosaurs: what can growth curves tell us? *PLoS ONE*, 8(10): e74317. doi:10.1371/journal.pone.0074317.
- Griebeler, E.M., Klein, N. & Sander, P.M. 2013. Aging, maturation and growth of sauropodomorph dinosaurs as deduced from growth curves using long bone histological data: an assessment of methodological constraints and solutions. *PLoS ONE*, 8(6): e67012. doi:10.1371/journal.pone.0067012.
- Gründel, J. & Nützel, A. 2013. Evolution and classification of Mesozoic mathildoid gastropods. *Acta Palaeontologica Polonica*, 58(4): 803–826.
- Guang-Hui Xu, Li-Jun Zhao, Ke-Qin Gao & Fei-Xiang Wu. 2013. A new stem-neopterygian fish from the Middle Triassic of China shows the earliest over-water gliding strategy of the vertebrates. *Proceedings of the Royal Society*, B.280(1750) 20122261; doi: 10.1098/rspb.2012.2261 (7 pp).
- Guangyou Zhu, Shuichang Zhang, Keyu Liu, Haijun Yang, Bin Zhang, Jin Su & Yaguang Zhang. 2013. A well-preserved 250 million-year-old oil accumulation in the Tarim Basin, western China: implications for hydrocarbon exploration in old and deep basins. *Marine and Petroleum Geology*, 43: 478–488.
- Guochen Dong, Xuanxue Mo, Zhidan Zhao, Dicheng Zhu, Goodman, R.C., Huilei Kong & Shuo Wang. 2013. Zircon U-Pb dating and the petrological and geochemical constraints on Lincang granite in western Yunnan, China: implications for the closure of the Paleo-Tethys ocean. *Journal of Asian Earth Sciences*, 62: 282–294.
- Guoyi Hu, Cong Yu, Yunyan Ni, Shipeng Huang & Xingwang Tan. 2013. Comparative study of stable carbon and hydrogen isotopes of alkane gases sourced from the Longtan and Xujiahe coal-bearing measures in the Sichuan Basin, China. *International Journal of Coal Geology*, 116–117: 293–301.
- Haas, J., Pelikán, P., Görög, A., Józsa, S. & Ozsvárt, P. 2013. Stratigraphy, facies and geodynamic settings of Jurassic formations in the Bükk Mountains, North Hungary: its relations with the other areas of the Neotethyan realm. *Geological Magazine*, 150(1): 18–49.
- Haijun Song, Wignall, P.B., Jinnan Tong & Hongfu Yin. 2013. Two pulses of extinction during the Permian–Triassic crisis. *Nature Geoscience*, 6(1): 52–56.
- Hancox, P.J., Angielczyk, K.D. & Rubidge, B.S. 2013. *Angonisaurus* and *Shansiodon*, dicynodonts (Therapsida, Anomodontia) from subzone C of the *Cynognathus* Assemblage Zone (Middle Triassic) of South Africa. *Journal of Vertebrate Paleontology*, 33(3): 655–676.
- Hara, H., Kon, Y., Usuki, T., Ching-Ying Lan, Kamata, Y., Hisada, K., Ueno, K., Charoentitrat, T. & Charusiri, P. 2013. U-Pb ages of detrital zircons within the Inthanon Zone of the Paleo-Tethyan subduction zone, northern Thailand: new constraints on accretionary age and arc activity. *Journal of Asian Earth Sciences*, 74: 50–61.
- Harris, D.B., Toro, J. & Prokopyev, A.V. 2013. Detrital zircon U-Pb geochronology of Mesozoic sandstones from the Lower Yana River, northern Russia. *Lithosphere*, 5(1): 98–108.
- Hauser, L.M. & Martill, D.M. 2013. Evidence for coelacanths in the Late Triassic (Rhaetian) of England. *Proceedings of the Geologists' Association*, 124(6): 982–987.
- Hautmann, M. & Hagdorn, H. 2013. Oysters and oyster-like bivalves from the Middle Triassic Muschelkalk of the Germanic Basin. *Paläontologische Zeitschrift*, 87(1): 19–32.
- Hautmann, M., Hofmann, R., Frisk, A.M., Brosse, M. & Bucher, H. 2013. Diversification and diversity partitioning in Early Triassic benthic ecosystems. *The Palaeontological Association Newsletter*, 84; Annual Meeting Programme and Abstracts: 39.
- Hautmann, M., Smith, A.B., McGowan, A.J. & Bucher, H. 2013. Bivalves from the Olenekian (Early Triassic) of south-western Utah: systematics and evolutionary significance. *Journal of Systematic Palaeontology*, 11(3): 263–293.
- Havlik, P., Aiglstorfer, M., Atfy, H.El. & Uhl, D. 2013. A peculiar bonebed from the Norian Stubensandstein (Löwenstein Formation, Late Triassic) of southern Germany and its palaeoenvironmental interpretation. *Neues Jahrbuch für Geologie und Paläontologie - Abhandlungen*, 269(3): 321–337.
- Hawie, N., Gonni, C., Deschamps, R., Nader, F.H., Montadert, L., Granjean, D. & Baudin, F. 2013. Tectono-stratigraphic evolution of the northern Levant Basin (offshore Lebanon). *Marine and Petroleum Geology*, 48: 392–410.
- Heckert, A.B., Jenkins, H.S., Lucas, S.G. & Hunt, A.P. 2013. Mandibles of juvenile phytosaurs (Archosauria: Crurotarsi) from the Upper Triassic Chinle Group of Texas and New Mexico, USA. *In*, Tanner, L.H., Spielmann, J. A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of

- Natural History and Science, Bulletin 61: 228–236.
- Heckert, A.B. & Miller-Camp, J.A. 2013. Tooth enamel microstructure of *Reuelosaurus* and *Krzyanowskisaurus* (Reptila: Archosauria) from the Upper Triassic Chinle Group, USA: implications for function, growth, and phylogeny. *Palaeontologia Electronica*, 16(1): 23 pp (Article 16.1.1A).
- Helbig, M., Keppie, J.D., Murphy, J.B. & Solari, L.A. 2013. Exotic rifted passive margin of a back-arc basin off western Pangea: geochemical evidence from the Early Mesozoic Ayú Complex, southern Mexico. *International Geology Review*, 55(7): 863–881.
- Henares, S., Viseras, C., Fernández, J. & Lizarazo, N. 2013. Point bar deposit characterization with preliminary subsurface data: a case from the Triassic of the Iberian Meseta. *Geogaceta*, 54: 7–10.
- Heydari, E., Arzani, N., Safaei, M. & Hassanzadeh, J. 2013. Ocean's response to a changing climate: clues from variations in carbonate mineralogy across the Permian-Triassic boundary of the Shareza section, Iran. *Global and Planetary Change*, 105: 79–90.
- Hiete, M., Röhlhng, H.-G., Heunisch, C. & Berner, U. 2013. Facies and climate changes across the Permian-Triassic boundary in the North German Basin: insights from a high-resolution organic carbon isotope record. *Geological Society, London, Special Publications*, 376: 549–574.
- Hillebrandt, A.v., Krystyn, L., Kürschner, W.M., Bonis, N.R., Ruhl, M., Richoz, S., Schobben, M.A.N., Urlichs, M., Bown, P.R., Kment, K., McRoberts, C.A., Simms, M. & Tomášových, A. 2013. The Global Stratotype Sections and Point (GSSP) for the base of the Jurassic System at Kuhjoch (Karwendel Mountains, Northern Calcareous Alps, Tyrol, Austria). *Episodes*, 36(3): 162–198.
- Hminna, A., Voigt, S., Klein, H., Saber, H., Schneider, J.W. & Hmich, D. 2013. First occurrence of tetrapod footprints from the continental Triassic of the Sidi Said Maachou area (Western Meseta, Morocco). *Journal of African Earth Sciences*, 80: 1–7.
- Hofmann, R., Hautmann, M. & Bucher, H. 2013. A new paleoecological look at the Dinwoody Formation (Lower Triassic, Western USA): intrinsic versus extrinsic controls on ecosystem recovery after the end-Permian mass extinction. *Journal of Paleontology*, 87(5): 854–880.
- Hofmann, R., Hautmann, M., Schneebeili-Herman, E. & Bucher, H. 2013. Evidence for an intra-Early Triassic crisis of benthic ecosystems. *The Palaeontological Association Newsletter*, 84; Annual Meeting Programme and Abstracts: 39.
- Hofmann, R., Hautmann, M., Wasmer, M. & Bucher, H. 2013. Palaeoecology of the Spathian Virgin Formation (Utah, USA) and its implications for the Early Triassic recovery. *Acta Palaeontologica Polonica* 58(1): 149–173.
- Holliday, C.M. & Nesbitt, S.J. 2013. Morphology and diversity of the mandibular symphysis of archosauriforms. *Geological Society, London, Special Publications*, 379: 555–571.
- Holloway, W.L., Claeson, K.M. & O'keefe, F.R. 2013. A virtual phytosaur endocast and its implications for sensory system evolution in archosaurs. *Journal of Vertebrate Paleontology*, 33(4): 848–857.
- Hongfu Yin & Haijun Song. 2013. Mass extinction and Pangea integration during the Paleozoic-Mesozoic. *SCIENCE CHINA Earth Sciences*, 56(11): 1791–1803.
- Hong-Yan Li & Xiao-Long Huang. 2013. Constraints on the paleogeographic evolution of the North China Craton during the Late Triassic-Jurassic. *Journal of Asian Earth Sciences*, 70-71: 308–320.
- Horacek, M. & Brandner, R. 2013. Comment on: Plankton and productivity during the Permian-Triassic boundary crisis: an analysis of organic carbon fluxes (Algeo et al., 2013, *Global and Planetary Change*). *Global and Planetary Change*, 111: 327–330.
- Horn, B.L.D., Pereira, V.P. & Schultz, C.L. 2013. Calcretes of the Santa Maria Supersequence, Middle Triassic, Rio Grande do Sul: classification, genesis and paleoclimatic implications. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 376: 39–47.
- Hornung, T. 2013. Berichte 2012 über geologische Aufnahmen im Bereich Zahmer Kaiser (Kaisergerbirge) auf Blatt 3213 Kufstein. *Jahrbuch der Geologischen Bundesanstalt, Wien*, 153(1-4): 423–430.
- Howell, E.R. & Blakey, R.C. 2013. Sedimentological constraints on the evolution of the Cordilleran arc: new insights from the Sonsela Member, Upper Triassic Chinle Formation, Petrified Forest National Park (Arizona, USA). *Geological Society of America Bulletin*, 125(7/8): 1349–1368.
- Hu Bin, Shen Dajun, Wei Wei & Liu Yi Sha. 2013. Study of diagenesis and diagenetic facies of 2nd member of Lower Triassic Jialingjiang Formation in east Sichuan. *Advances in Geosciences*, 3(5): 289–298.
- Hua-Hua Cao, Wen-Liang Xu, Fu-Ping Pei, Zhi-Wei Wang, Feng Wang & Zi-Jin Wang. 2013. Zircon U-Pb geochronology and petrogenesis of the Late Paleozoic-Early Mesozoic intrusive rocks in the eastern segment of the northern margin of the North China Block. *Lithos*, 170-171: 191–207.
- Huang Jianguo, Yang Ruidong, Yang Jin & Cui Chunlong. 2013. Geochemical characteristics and tectonic significance of Triassic granite from Taer region, the northern margin of west Kunlun. *Acta Geologica Sinica*, 87(2): 346–357.
- Huang Zhiying, Zhu Tong-xing, Zhang Qi-yue, Zhou Changyong & Xie Tao. 2013. Southeast Yunnan newly discovered group of Middle Triassic Guanling typical platform margin and slope slumping limestone reef. *Geological Bulletin of China*, 32(9): 1436–1439.
- Hughes, G.W. 2013. Late Permian to Late Jurassic “microproblematica” of Saudi Arabia: possible palaeobiological assignments and roles in the palaeoenvironmental reconstructions. *GeoArabia*, 18(1): 57–92.
- Hui Tian, Peng Cheng, Qin Zhou, Xianming Xiao & Wilkins, R.W.T. 2013. Abnormal elevations of C₃₄2 α -methylhopane and C₃₄2 α -methylbenzhopane in a Lower Triassic mudstone sample, NW Sichuan Basin. *Organic Geochemistry*, 63: 139–144.
- Hunt, A.P., Lucas, S.G. & Spielmann, J.A. 2013. Triassic vertebrate coprolite ichnofaunas. *In*, Tanner, L.H., Spielmann, J. A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New

- Mexico Museum of Natural History and Science, Bulletin 61: 237–258.
- Husain, R., Khan, D.A., Sajer, A., Al-Amman, N. & Al-Fares, A. 2013. Khuff Formation in Kuwait: an overview. *In*, Pöppelreiter, M.C. (ed.), Permo-Triassic Sequences of the Arabian Plate. EAGE Publications bv.: 303–326.
- Huttenlocker, A.K. & Botha-Brink, J. 2013. Body size and growth patterns in the therocephalian *Moschorhinus kitchingi* (Therapsida: Eutheriodontia) before and after the end-Permian extinction in South Africa. *Paleobiology*, 39(2): 253–277.
- Huyue Song, Jinnan Tong, Algeo, T.J., Horacek, M., Haiou Qiu, Haijun Song, Li Tian & Zhong-Qiang Chen. 2013. Large vertical $\delta^{13}\text{C}_{\text{DIC}}$ gradients in Early Triassic seas of the South China craton: implications for oceanographic changes related to Siberian Trap volcanism. *Global and Planetary Change*, 105: 7–20.
- Hyeong Soo Kim & Jin-Han Ree. 2013. Permo-Triassic changes in bulk crustal shortening direction during deformation and metamorphism of the Taebaeksan Basin, South Korea using foliation intersection/inflection axes: implications for tectonic movement at the eastern margin of Eurasia during the Songrim (Indosinian) orogeny. *Tectonophysics*, 587: 133–145.
- Iannuzzi, R. & Shu-Zhong Shen. 2013. Event stratigraphy. *Ciências da Terra*, 18: 121–124.
- Ikeda, M. 2013. Cyclostratigraphy of the Triassic to Jurassic deep-sea sequences in Japan: frequency modulation for stratigraphic correlation. *In*, Tanner, L.H., Spielmann, J. A. & Lucas, S.G. (eds.), The Triassic System: New Developments in Stratigraphy and Paleontology. New Mexico Museum of Natural History and Science, Bulletin 61: 259–267.
- Irmis, R.B., Nesbitt, S.J. & Sues, H.-D. 2013. Early Crocodylomorpha. Geological Society, London, Special Publications, 379: 275–302.
- Irmis, R.B., Whiteside, J.H. & Kammerer, C.F. 2013. Non-biotic controls of observed diversity in the paleontologic record: An example from the Permo-Triassic Karoo Basin of South Africa. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 372: 62–77.
- Ivanov, A.V., Huayiu He, Leikun Yan, Ryabov, V.V., Shevko, A.Y., Paleskii, S.V. & Nikolaeva, I.V. 2013. Siberian Traps large igneous province: evidence for two flood basalt pulses around the Permo-Triassic boundary and in the Middle Triassic, and contemporaneous granitic magmatism. *Earth-Science Reviews*, 122: 58–76.
- Jaglarz, P. 2013. Multi-stage dolomitization in the Lower–Middle Triassic succession of the High-Tatric series (Western Tatra Mts., Poland). *Przegląd Geologiczny*, 60(5): 284–293.
- Janson, X., Lucia, F.J., Jennings, J.W., Bellian, J.A., AbuBshait, A.A., Al-Dukhayyil, R.K., Mueller, H.W. & Cantrell, D. 2013. Outcrop-based 3D geological and reservoir model of the uppermost Khuff Formation in central Saudi Arabia. *In*, Pöppelreiter, M.C. (ed.), Permo-Triassic Sequences of the Arabian Plate. EAGE Publications bv.: 269–302.
- Jaraula, C.M.B., Grice, K., Twitchett, R.J., Böttcher, M.E., LeMetayer, P., Dastidar, A.G. & Opazo, L.F. 2013. Elevated $p\text{CO}_2$ leading to Late Triassic extinction, persistent photic zone euxinia, and rising sea levels. *Geology*, 41(9): 955–958.
- Jenks, J., Guex, J., Hungerbühler, A., Taylor, D.G. & Bucher, H. 2013. Ammonoid biostratigraphy of the early Spathian *Columbites parisiensis* zone (Early Triassic) at Bear Lake Hot Springs, Idaho. *In*, Tanner, L.H., Spielmann, J. A. & Lucas, S.G. (eds.), The Triassic System: New Developments in Stratigraphy and Paleontology. New Mexico Museum of Natural History and Science, Bulletin 61: 268–283.
- Ji Liming & Zhu Youhua. 2013. Spore-pollen assemblages and paleoclimate of the Yanchang Formation in the Xifeng area, southwestern Ordos Basin, Gansu Province, NW China. *Acta Micropalaeontologica Sinica*, 30(4): 367–378.
- Jian-Bo Zhou & Wilde, S.A. 2013. The crustal accretion history and tectonic evolution of the NE China segment of the Central Asian Orogenic Belt. *Gondwana Research*, 23(4): 1365–1377.
- Jian-Wei Zi, Cawood, P.A., Wei-Ming Fan, Tohver, E., Yue-Jun Wang, McCuaig, T.C. & Tou-Ping Peng. 2013. Late Permian-Triassic magmatic evolution in the Jinshajiang orogenic belt, SW China and implications for orogenic processes following closure of the Paleo-Tethys. *American Journal of Science*, 313(2): 81–112.
- Jiang Hongxia & Wu Yasheng. 2013. Diagenesis of the microbialites in the Permian-Triassic boundary section at Laolongdong, Chongqing, South China. *Journal of Palaeogeography*, 2(2): 183–191.
- Jiang, L., Cai, C.F., Worden, R.H., Li, K.-K. & Xiang, L. 2013. Reflux dolomitization of the Upper Permian Changxing Formation and the Lower Triassic Feixianguan Formation, NE Sichuan Basin, China. *Geofluids*, 13(2): 232–245.
- Jianhua Li, Yueqiao Zhang, Shuwen Dong & Wei Shi. 2013. Structural and geochronological constraints on the Mesozoic tectonic evolution of the north Dabashan zone, south Qinling, central China. *Journal of Asian Earth Sciences*, 63: 99–114.
- Jianjun Cui, Yueqiao Zhang, Shuwen Dong, Bor-ming Jahn, Xianbing Xu & Licheng Ma. 2013. Zircon U-Pb geochronology of the Mesozoic metamorphic rocks and granitoids in the coastal tectonic zone of SE China: constraints on the timing of Late Mesozoic orogeny. *Journal of Asian Earth Sciences*, 62: 237–252.
- Jianren Mao, Haimin Ye, Kai Liu, Zilong Li, Takahashi, Y., Xilin Zhao & Weon-Seo Kee. 2013. The Indosinian collision-extension event between the South China Block and the Palaeo-Pacific plate: evidence from Indosinian alkaline granitic rocks in Dashuang, eastern Zhejiang, South China. *Lithos*, 172–173: 81–97.
- Jiawei Zhang, Zhilong Huang, Taiyi Luo, Zhikuan Qian & Ying Zhang. 2013. Origin of early Triassic rift-related alkaline basalts from southwest China: age, isotope, and trace-element constraints. *International Geology Review*, 55(9): 1162–1178.
- Jingen Dai, Chengshan Wang, Hourigan, J. & Santosh, M. 2013. Multi-stage tectono-magmatic events of the Eastern Kunlun Range, northern Tibet: insights from U-Pb geochronology and (U-Th)/He thermochronology. *Tectonophysics*, 599: 97–106.
- Jinyuan Huang, Feldmann, R.M., Schweitzer, C.E., Shixue Hu, Changyong Zhou, Benton, M.J., Qiyue Zhang, Wen Wen & Tao Xie. 2013. A new shrimp (Decapoda, Dendrobranchiata,

- Penaeoidea) from the Middle Triassic of Yunnan, southwest China. *Journal of Paleontology*, 87(4): 603–611.
- Johannessen, K.C., Kohlmann, F., Ksienzyk, A.K., Dunkl, I. & Jacobs, J. 2013. Tectonic evolution of the SW Norwegian passive margin based on low-temperature thermochronology from the innermost Hardangerfjord area. *Norwegian Journal of Geology*, 93(3-4): 243–260.
- Jun Liu, Li-Jun Zhao, Chun Li & Tao He. 2013. Osteology of *Concavispina biseridens* (Reptilia, Thallatosauria) from the Xiaowa Formation (Carnian), Guanling, Guizhou, China. *Journal of Paleontology*, 87(2): 341–350.
- Jun Liu, Motani, R., Da-yong Jiang, Shi-xue Hu, Aitchison, J.C., Rieppel, O., Benton, M.J., Qi-yue Zhang & Chang-yong Zhou. 2013. The first specimens of the Middle Triassic *Phalarodon atavus* (Ichthyosauria: Mixosauridae) from South China, showing postcranial anatomy and peri-Tethyan distribution. *Palaeontology*, 56(4): 849–866.
- Jun Shen, Algeo, T.J., Qing Hu, Guozhen Xu, Lian Zhou & Qinglai Feng. 2013. Volcanism in South China during the Late Permian and its relationship to marine ecosystem and environmental changes. *Global and Planetary Change*, 105: 121–134.
- Jun Shen, Algeo, T.J., Qinglai Feng, Lian Zhou, Lanping Feng, Ning Zhang & Junhua Huang. 2013. Volcanically induced environmental change at the Permian-Triassic boundary (Xiakou, Hubei Province, South China): related to West Siberian coal-field methane releases? *Journal of Asian Earth Sciences*, 75: 95–109.
- Jun Shen, Yong Lei, Algeo, T.J., Qinglai Feng, Servais, T., Jianxin Yu & Lian Zhou. 2013. Volcanic effects on microplankton during the Permian-Triassic transition (Shangsi and Xinmin, South China). *Palaios*, 29(8): 552–567.
- Kai-Xing Wang, Tao Sun, Pei-Rong Chen, Hong-Fei Ling & Ting-Fu Xiang. 2013. The geochronological and geochemical constraints on the petrogenesis of the Early Mesozoic A-type granite and diabase in northwestern Fujian province. *Lithos*, 179: 364–381.
- Kaiho, K. & Koga, S. 2013. Impacts of a massive release of methane and hydrogen sulphide on oxygen and ozone during the late Permian mass extinction. *Global and Planetary Change*, 107: 91–101.
- Kammerer, C.F., Fröbisch, J. & Angielczyk, K.D. 2013. On the validity and phylogenetic position of *Eubrachiosaurus browni*, a kannemeyeriiform dicynodont (Anomodontia) from the Triassic North America. *PLoS ONE*, 8(5): e64203. doi:10.1371/journal.pone.0064203.
- Kaplanis, A., Koukouvelas, I., Xypolias, P. & Kokkolas, S. 2013. Kinematics and ophiolite obduction in the Gerania and Helicon Mountains, central Greece. *Tectonophysics*, 595-596: 215–234.
- Karádi, V., Kozur, H. & Görög, A. 2013. Stratigraphically important lower Norian conodonts from the Csóvár borehole (CSV-1), Hungary – comparison with the conodont succession of the Norian GSSP candidate Pizzo Mondello (Sicily, Italy). *In*, Tanner, L.H., Spielmann, J. A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 284–295.
- Karasev, E.V. 2013. Formal system of dispersed leaf cuticles of pteridosperms (Peltaspermaceae) from the Permian and Triassic of the Russian Platform. *Paleontological Journal*, 47(3): 335-349.
- Kawagoe, Y., Mori, N., Sano, S., Orihara, Y., Tamamoto, K., Ishizaki, Y., Kouchi, Y. & Otoh, S. 2013. Evidence for Late Permian-Triassic volcanism in the Hida Gaien Belt, southwest Japan: new U-Pb ages from the Motodo, Ashidani, and Otani formations. *Memoir of the Fukui Prefectural Dinosaur Museum*, 12: 17–33.
- Keith Holmes, W.B. & Anderson, H.M. 2013. A synthesis of the rich Gondwana Triassic megafossil flora from Nymboida, Australia. *In*, Tanner, L.H., Spielmann, J. A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 284–295.
- Kerr, R.A. 2013. Mega-eruptions drove the mother of mass extinctions. *Science*, 342(6165): 1424.
- Kettanah, Y.A. 2013. Hydrocarbon fluid inclusions in the Argo salt, offshore Canadian Atlantic margin. *Canadian Journal of Earth Sciences*, 50(6): 607–635.
- Khan, A., Anis & Shahnawaz. 2013. Petrography and provenance of Early Triassic Pachmarhi Formation sandstones, Satpura Gondwana Basin, Madhya Pradesh, Central India. *Open Journal of Geology*, 3(2): 83–93.
- Kilian, S. 2013. Bericht 2012 über geologische und strukturgeologische Aufnahmen im Karwendelgebirge auf Blatt 2223 Innsbruck und auf Blatt 2217 Hinterriß. *Jahrbuch der Geologischen Bundesanstalt, Wien*, 153(1–4): 411–417.
- Kimmig, J. 2013. Possible secondarily terrestrial lifestyle in the European phytosaur *Nicrosaurus kapffi* (Late Triassic, Norian): a preliminary study. *In*, Tanner, L.H., Spielmann, J. A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 296–312.
- Klein, E.L., Angélica, R.S., Harris, C., Jourdan, F. & Babinski, M. 2013. Mafic dykes intrusive into Pre-Cambrian rocks of the São Luís cratonic fragment and Gurupi Belt (Parnaíba Province), north-northeastern Brazil: geochemistry, Sr-Nd-Pb-O isotopes, ⁴⁰Ar/³⁹Ar geochronology, and relationships to CAMP magmatism. *Lithos*, 172-173: 222–242.
- Klein, H. & Lucas, S.G. 2013. The Late Triassic tetrapod ichnotaxon *Apatopus lineatus* (Bock 1952) and its distribution. *In*, Tanner, L.H., Spielmann, J. A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 313–324.
- Klein, H., Niedźwiedzki, G., Voigt, S., Lagnaoui, A., Hminna, A., Saber, H. & Schneider, J.W. 2013. The tetrapod ichnogenus *Protochirotherium* Fichter and Kunz 2004, a characteristic Early Triassic morphotype of central Pangea. *Ichnos*, 20(1): 24–30.
- Klojzy-Karczmarczyk, B., Kryza, A., Kurek, T. & Mazurek, J. 2013. Analysis of changes in water chemistry of the Triassic aquifer in the initial phase of Trzebionka mine flooding. *Biuletyn Pánstwowego Instytutu Geologicznego*, 456:

- 281–286.
- Knaust, D. 2013. The ichnogenus *Rhizocorallium*: classification, tracemakers, palaeoenvironments and evolution. *Earth-Science Reviews*, 126: 1–47.
- Knaust, D. 2013. Classification of bioturbation-related reservoir quality in the Khuff Formation (Middle East): towards a genetic approach. *In*, Pöppelreiter, M.C. (ed.), *Permo-Triassic Sequences of the Arabian Plate*. EAGE Publications bv.: 247–267.
- Knies, J., Grasby, S.E., Beauchamp, B. & Schubert, C.J. 2013. Water mass denitrification during the latest Permian extinction in the Sverdrup Basin, Arctic Canada. *Geology*, 41(2): 167–170.
- Kobayashi, F. 2013. Late Permian (Lopingian) foraminifers from the Tsukumi Limestone, southern Chichibu Terrane of eastern Kyushu, Japan. *Journal of Foraminiferal Research*, 43(2): 154–169.
- Kokkolas, S., Kamberis, E., Xypolias, P., Sotiropoulos, S. & Koukouvelas, I. 2013. Coexistence of thin- and thick-skinned tectonics in the Zakynthos area (western Greece): insights from seismic sections and regional seismicity. *Tectonophysics*, 597–598: 73–84.
- Kolar-Jurkovšek, T., Vuks, V.J., Aljinović, D., Hautmann, M., Kaim, M. & Jurkovšek, B. 2013. Olenekian (Early Triassic) fossil assemblage from eastern Julian Alps (Slovenia). *Annales Societatis Geologorum Poloniae*, 83(3): 213–227.
- Komatsu, T., Shigeta, Y., Dang Tran Huyen, Dinh Cong Tien, Maekawa, T. & Tanaka, G. 2013. *Crittendenia* (Bivalvia) from the Lower Triassic (Olenekian) Bac Thay Formation, an Chau Basin, northern Vietnam. *Paleontological Research*, 17(1): 1–11.
- Konietzko-Meier, D. & Schmitt, A. 2013. A histological study of a femur of *Plagiosuchus*, a Middle Triassic temnospondyl amphibian from southern Germany, using thin sections and micro-CT scanning. *Netherlands Journal of Geosciences*, 92(2/3): 97–108.
- Kong-Yang Zhu, Zheng-Xiang Li, Xi-Sheng Xu & Wilde, S.A. 2013. Late Triassic melting of a thickened crust in southeastern China: evidence for flat-slab subduction of the Paleo-Pacific plate. *Journal of Asian Earth Sciences*, 74: 265–279.
- Kongyou Wu, Paton, D. & Ming Zha. 2013. Unconformity structures controlling stratigraphic reservoirs in the north-west margin of Junggar basin, north-west China. *Frontiers of Earth Science*, 7(1): 55–64.
- Konietzko-Meier, D. & Klein, N. 2013. Unique growth pattern of *Metoposaurus diagnosticus krasiejowensis* (Amphibia, Temnospondyli) from the Upper Triassic of Krasiejów, Poland. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 370: 145–157.
- Konietzko-Meier, D. & Sander, P.M. 2013. Long bone histology of *Metoposaurus diagnosticus* (Temnospondyli) from the Late Triassic of Krasiejów (Poland) and its paleobiological implications. *Journal of Vertebrate Paleontology*, 33(5): 1003–1018.
- Konstantinov, A.G., Sobolev, E.S. & Yadrenkin, A.V. 2013. Triassic stratigraphy of the eastern Laptev Sea coast and New Siberian Islands. *Russian Geology and Geophysics*, 54(8): 792–807.
- Kontorovich, V.A., Kontorovich, A.E., Gubin, I.A., Zoteev, A.M., Lapkovsky, V.V., Malyshev, N.A., Soloviev, M.V. & Fradkin, G.S. 2013. The Neoproterozoic-Phanerozoic section of the Anabar-Lena province: structural framework, geological model, and petroleum potential. *Russian Geology and Geophysics*, 54(8): 980–996.
- Korn, D., Hopkins, M.J. & Walton, S.A. 2013. Extinction space – a method for the quantification and classification of changes in morphospace across extinction boundaries. *Evolution*, 67(10): 2795–2810.
- Korn, D., Leda, L., Ghaderi, A., Hairapetian, V. & Schobben, M. 2013. The Lilliput Effect in the latest Permian ammonoids from Iran. *The Palaeontological Association Newsletter*, 84; Annual Meeting Programme and Abstracts: 41–42.
- Korngrreen, D. & Benjamini, C. 2013. Stratigraphic evidence for shear in structural development of the Triassic Levant margin: new borehole data on the epicontinental to deep marine transition in Israel. *Tectonophysics*, 591: 3–15.
- Korngrreen, D., Orlov-Labkovsky, O., Bialik, O. & Benjamini, C. 2013. The Permian-Triassic transition in the central coastal plain of Israel (North Arabian Plate Margin), David 1 Borehole. *Palaios*, 28(8): 491–508.
- Kotánski, Z. 2013. Anisian Dasycladales from Upper Silesia and adjacent regions. *Carnets de Géologie*, CG2013 Book 2, 205 pp.
- Kowal-Linka, M. & Stanikowski, W. 2013. Garnet and tourmaline as provenance indicators of terrigenous material in epicontinental carbonates (Middle Triassic, S Poland). *Sedimentary Geology*, 291: 27–47.
- Kozur, H.W., Franz, M. & Bachmann, G.H. 2013. *Shipingia weemi* n. sp., a biostratigraphically important conchostracan species from the uppermost Carnian and lowermost Norian of central Europe. *In*, Tanner, L.H., Spielmann, J. A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 325–330.
- Krajewski, K.P. 2013. Organic matter-apatite-pyrite relationships in the Botneheia Formation (Middle Triassic) of eastern Svalbard: relevance to the formation of petroleum source rocks in the NW Barents Sea shelf. *Marine and Petroleum Geology*, 45: 69–105.
- Krapovickas, V., Mancuso, A.C., Marsicano, C.A., Domnanovich, N. & Schultz, C.L. 2013. Large tetrapod burrows from the Middle Triassic of Argentina: a behavioural adaptation to seasonal semi-arid climate? *Lethaia*, 46(2): 154–169.
- Kraus, S.H., Brandner, R., Heubeck, C., Kozur, H.W., Struck, U. & Korte, C. 2013. Carbon isotope signatures of latest Permian marine successions of the Southern Alps suggest a continental runoff pulse enriched in land plant material. *Fossil Record*, 16(1): 97–109.
- Kubo, T. & Kubo, M.O. 2013. Analysis of Triassic archosauriform trackways: difference in stride/foot ratio between dinosauroforms and archosauriforms. *Palaios*, 28(4): 259–265.
- Kui-Dong Zhao, Shao-Yong Jiang, Wei-Feng Chen, Pei-Rong Chen & Hong-Fei Ling. 2013. Zircon U-Pb chronology and

- elemental and Sr-Nd-Hf isotope geochemistry of two Triassic A-type granites in South China: implication for petrogenesis and Indosinian transtensional tectonism. *Lithos*, 160-161: 292–306.
- Kürschner, W., Batenburg, S.J. & Mander, L. 2013. Aberrant *Classopollis* pollen reveals evidence for unreduced ($2n$) pollen in the conifer family Cheirolepidiaceae during the Triassic–Jurassic transition. *Proceedings of the Royal Society, B*. 280(1768) 20131708; doi: 10.1098/rspb.2013.1708 (8pp).
- Kusov, A.V. & Stoupakova, A.V. 2013. Reservoir sequences of the Anabar-Khatanga saddle: formation conditions and reservoir properties. *Moscow University Geology Bulletin*, 68(3): 185–190.
- Kustatscher, E. & van Konijnenburg-van Cittert, J.H.A. 2013. Seed ferns from the European Triassic – an overview. *In*, Tanner, L.H., Speilmann, J. A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 331–344.
- Labandeira, C.C., & Currano, E.D. 2013. The fossil record of plant-insect dynamics. *Annual Review of Earth and Planetary Sciences*, 41: 287–311.
- Laishi Zhao, Yonglin Chen, Zhong-qiang Chen & Ling Cao. 2013. Uppermost Permian to Lower Triassic conodont zonation from Three Gorges area, South China. *Palaios*, 28(8): 523–540.
- Laishi Zhao, Zhong-Qiang Chen, Algeo, T.J., Jianbo Chen, Yonglin Chen, Jinnan Tong, Shan Gao, Lian Zhou, Zhaochu Hu & Yongsheng Liu. 2013. Rare-earth element patterns in conodont albid crowns: evidence for massive inputs of volcanic ash during the latest Permian biocrisis? *Global and Planetary Change*, 105: 135–151.
- Laming, D.J.C. & Roche, D.P. 2013. Faulting in Permo-Triassic strata and buried channels revealed by excavation of the Lymstone – Powderham pipeline tunnel, Exe Estuary, Devon (Abstract). *Geoscience in South-West England*, 13(2): 244.
- Langer, M.C. & Ferigolo, J. 2013. The Late Triassic dinosauro-morph *Sacisaurus agudoensis* (Caturrita Formation: Rio Grande do Sul, Brazil): Anatomy and affinities. *Geological Society, London, Special Publications*, 379: 353–392.
- Langer, M.C., Nesbitt, S.J., Bittencourt, J.S. & Irmis, R.B. 2013. Non-dinosaurian Dinosauromorphs. *Geological Society, London, Special Publications*, 379: 157–186.
- Leavitt, W.D., Halevy, I., Bradley, A.S. & Johnston, D.T. 2013. Influence of sulfate reduction rates on the Phanerozoic sulfur isotope record. *Proceedings of the National Academy of Sciences*, 110(28): 11244–11249.
- Legendre, L.J., Segaten, L. & Cubo, J. 2013. Evidence for high bone growth rate in *Euparkeria* obtained using a new paleohistological inference model for the humerus. *Journal of Vertebrate Paleontology*, 33(6): 1343–1350.
- Lei He, Yongbiao Wang, Woods, A., Guoshan Li, Hao Yang & Wei Liao. 2013. An oxygenation event occurred in deep shelf settings immediately after the end-Permian mass extinction in South China. *Global and Planetary Change*, 101: 72–81.
- Leitner, C., Neubauer, F., Genser, J., Borojević-Šošarić, S. & Rantitsch, G. 2013. $^{40}\text{Ar}/^{39}\text{Ar}$ ages of crystallization and recrystallization of rock-forming polyhalite in Alpine rocksalt deposits. *Geological Society, London, Special Publications*, 378: 207–224.
- Leitner, C., Neubauer, F., Marschallinger, R., Genser, J. & Bernroider, M. 2013. Origin of deformed halite hopper crystals, pseudomorphic anhydrite cubes and polyhalite in Alpine evaporites (Austria, Germany). *International Journal of Earth Sciences*, 102(3): 813–829.
- Lepper, H. & Röhling, H.-G. (Eds). 2013. *Stratigraphy von Deutschland XI: Buntsandstein*. Schiftenreihe der Deutschen Gesellschaft für Geowissenschaften, 69: 657 pp.
- Letnikova, E.F., Lobanov, S.S., Pokhilenko, N.P., Izokh, A.E. & Nikolenko, E.I. 2013. Sources of clastic material in the Carnian diamond-bearing horizon of the northeastern part of the Siberian Platform. *Doklady Earth Sciences*, 451(1): 702–705.
- Li, S.Z., Suo, Y.H., Santosh, M., Dai, L.M., Liu, X., Yu, S., Zhao, S.J. & Jin, C. 2013. Mesozoic to Cenozoic intracontinental deformation and dynamics of the North China Craton. *Geological Journal*, 48(5): 543–560.
- Li Wei & Wen Zhi-gang. 2013. Characteristics and assessment of the Chang-71 reservoirs from the Yanchang Formation in the Maling region, northern Shaanxi. *Sedimentary Geology and Tethyan Geology*, 33(3): 40–47.
- Li Yan, Wang Yun-peng, Zhao Chang-yi, Lu Jia-lan, Liao Ling-ling & Liu Jie. 2013. Triassic Xujiahe burial history of source rocks and thermal evolution of the Sichuan Basin. *Geological Bulletin of China*, 32(11): 1798–1805.
- Li Yong, Wang Ping & Sun Ming. 2013. Sedimentary features and reservoir characteristics of Chang 6 strata of Fanchuan district, Zhidan oilfield. *Northwestern Geology*, 46(3): 174–182.
- Lianbo Zeng, Hui Su, Xiaomei Tang, Yongmin Peng & Lei Gong. 2013. Fractured tight sandstone oil and gas reservoirs: a new play type in the Dongpu depression, Bohai Bay Basin, China. *AAPG Bulletin*, 97(3): 363–377.
- Liang Luo, Dong Jia, Jiafu Qi, Guoqi Wei & Fei Deng. 2013. Tectono-sedimentary evolution of the Late Triassic Xujiahe Formation in the Sichuan Basin. *Acta Geologica Sinica*, 87(6): 1554–1568.
- Liao Shi-yong, Yin Fu-guang, Sun Zhi-ming, Wang Dong-bing, Tang Yuan & Sun Jie. 2013. Western Yunnan Baoshan eastern edge of the Late Triassic Ho Chu Ci dacite porphyry discovery and its geological significance. *Geological Bulletin of China*, 32(7): 1006–1013.
- LiMei Tang, HanLin Chen, ChuanWan Dong, ShuFeng Yang, ZhongYue Shen, XiaoGan Cheng & LuLu Fu. 2013. Middle Triassic post-orogenic extension on Hainan Island: Chronology and geochemistry constraints of bimodal intrusive rocks. *SCIENCE CHINA Earth Sciences*, 56(5): 783–793.
- Lintnerová, O., Michalik, J., Uhlík, P., Soták, J. & Weissová, Z. 2013. Latest Triassic climate humidification and kaolinite formation (Western Carpathians, Tatric Unit of the Tatra Mts.). *Geological Quarterly*, 57: 701–728.
- Liparini, A., Oliveira, T.V., Pretto, F.A., Soares, M.B. & Schultz, C.L. 2013. The lower jaw and dentition of the traversodontid *Exaeretodon riograndensis* Abdala, Barberena & Dornelles,

- from the Brazilian Triassic (Santa Maria 2 Sequence, Hyperodapedon Assemblage). *Alcheringa*, 37(3): 331–337.
- Liparini, A. & Schultz, C.L. 2013. A reconstruction of the thigh musculature of the extinct pseudosuchian *Prestosuchus chiniquensis* from the *Dinodontosaurus* Assemblage Zone (Middle Triassic Epoch), Santa Maria 1 Sequence, southern Brazil. Geological Society, London, Special Publications, 379: 441–468.
- Liu Jun. 2013. On the taxonomy of *Xinpusaurus* (Reptilia: Thallosauria). *Vertebrata Palasiatica*, 51(1): 17–23.
- Liu Jun, Li Lu & Li Xing-wen. 2013. SHRIMP U-Pb zircon dating of the Triassic Ermaying and Tongchuan formations in Shanxi, China and its stratigraphic implications. *Vertebrata Palasiatica*, 51(2): 162–168.
- Liu Xingjun, Liu Yiqun, Zhou Dingwu, Li Hong, Chang Xihu & Nan Yun. 2013. Deep fluid tracer in Ordos Basin: Characteristics and origin of high natural gamma sandstone in Triassic Yanchang Formation. *Earth Science Frontiers*, 20(5): 149–165.
- Lloyd, G.T. & Friedman, M. 2013. A survey of palaeontological sampling biases in fishes based on the Phanerozoic record of Great Britain. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 372: 5–17.
- Lockley, M.G., Li Jianjun, Li Rihui, Matsukawa, M., Harris, J.D. & Xing Lida. 2013. A review of the tetrapod track record in China, with special reference to type ichnospecies: implications for ichnotaxonomy and paleobiology. *Acta Geologica Sinica*, 87(1): 1–20.
- Lockley, M.G. & Lucas, S.G. 2013. *Evazoum gatewayensis*, a new Late Triassic archosaurian ichnospecies from Colorado: implications for footprints in the ichnofamily Otozoidae. *In*, Tanner, L.H., Spielmann, J. A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 345–353.
- Löffler, N. & Prinz-Grimm, P. 2013. Quantitative analyse von Wirbeltierfragmenten aus einem Muschelkalk-Keuper-Bonebed bei Palzem (Mosel). *Mainzer geowissenschaftliche Mitteilungen*, 41: 37–50.
- Lombardo, C. 2013. A new basal actinopterygian fish from the Late Ladinian of Monte San Giorgio (Canton Ticino, Switzerland). *Swiss Journal of Geology*, 106(2): 219–230.
- Loope, G.R., Kump, L.R. & Arthur, M.A. 2013. Shallow water redox conditions from the Permian-Triassic boundary microbialite: the rare earth element and iodine geochemistry of carbonates from Turkey and South China. *Chemical Geology*, 351: 175–194.
- Lucas, S.G. 2013. Plant megafossil biostratigraphy and biochronology, Upper Triassic Chinle Group, western USA. *In*, Tanner, L.H., Spielmann, J. A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 354–365.
- Lucas, S.G. 2013. A new Triassic timescale. *In*, Tanner, L.H., Spielmann, J. A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 366–374.
- Lucas, S.G. & Bachmann, G.H. 2013. Dedication to Heinz W. Kozur. *In*, Tanner, L.H., Spielmann, J.A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 1–22.
- Lucas, S.G. & Spielmann, J.A. 2013. Magnetostratigraphy of the Upper Triassic Chinle Group in New Mexico: an appraisal of 40 years of analysis. *In*, Tanner, L.H., Spielmann, J.A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 375–381.
- Lucas, S.G., Spielmann, J.A. & Hunt, A.P. 2013. A new doswelliid archosauromorph from the Upper Triassic of West Texas. *In*, Tanner, L.H., Spielmann, J.A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 382–388.
- Lucas, S.G., Spielmann, J.A. & Rinehart, L.F. 2013. Juvenile skull of the phytosaur *Redondasaurus* from the Upper Triassic of New Mexico, and phytosaur ontogeny. *In*, Tanner, L.H., Spielmann, J.A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 389–400.
- Lutz, A.I. & Arce, F.E. 2013. Paleoflora of the Carrizal Formation (Middle-Upper Triassic), San Juan Province, Argentina. *Revista Mexicana de Ciencias Geológicas*, 30(2): 453–462.
- Maisch, M.W., Matzke, A.T. & Rathgeber, T. 2013. Re-evaluation of the enigmatic archosaur *Dyoplax arenaceus* O. Fraas, 1867 from the Schilfsandstein (Stuttgart Formation, lower Carnian, Upper Triassic) of Stuttgart, Germany. *Neues Jahrbuch für Geologie und Paläontologie – Abhandlungen*, 267(3): 353–362.
- Manafi, M., Arian, M., Reesi, S.H.T. & Solgi, A. 2013. Tethys subduction history in Caucasus region. *Open Journal of Geology*, 3(3): 222–232.
- Mander, L., Kürschner, W.M. & McElwain, J.C. 2013. Palynostratigraphy and vegetation history of the Triassic-Jurassic transition in East Greenland. *Journal of the Geological Society, London*, 170(1): 37–46.
- Mao Luo, Zhong-qiang Chen, Shixue Hu, Qiyue Zhang, Benton, M.J., Wen Wen & Jin-yuan Huang. 2013. Carbonate reticulated ridge structures from the lower Middle Triassic of the Luoping area, Yunnan, southwestern China: geobiological features and implications for exceptional preservation of the Luoping biota. *Palaios*, 28(8): 541–551.
- Marfil, R., La Iglesia, A. & Estupiñan, J. 2013. Origin and nature of the aluminium phosphate-sulphate minerals (APS) associated with uranium mineralization in Triassic red-beds (Iberian Range, Spain). *Estudios Geológicas*, 69(1): 31–34.
- Martindale, R.C., Krystyn, L., Bottjer, D.J., Corsetti, F.A., Senowbari-Daryan, B. & Martini, R. 2013. Depth transect of an Upper Triassic (Rhaetian) reef from Gosau, Austria: microfacies and community ecology. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 376: 1–21.
- Martindale, R.C., Krystyn, L., Corsetti, F.A. & Bottjer, D.J.

2013. From fore reef to lagoon: evolution of the Upper Triassic Dachstein carbonate platform on the Tennengebirge (Salzburg, Austria). *Palaios*, 28(11): 755–770.
- Martinez, R.N., Apaldetti, C., Colombi, C.E., Praderio, A., Fernandez, E., Malnis, P.S., Correa, G.A., Abelin, D. & Alcober, O. 2013. A new sphenodontian (Lepidosauria: Rhynchocephalia) from the Late Triassic of Argentina and the early origin of herbivore opisthodontians. *Proceedings of the Royal Society, B*, 280(1772) 20132057; doi: 10.1098/rspb.2013.2057 (7 pp).
- Martinez, R.N., Fernandez, E. & Alcober, O.A. 2013. A new non-mammaliaform eucynodont from the Carnian-Norian Ischigualasto Formation, northwestern Argentina. *Revista Brasileira de Paleontologia*, 16(1): 61–76.
- Marynowski, L. 2013. Mesozoic wildfires: distribution and importance for global events. *Przegląd Geologiczny*, 60(3): 148–154.
- Masoodi, M., Yassaghi, A., Sadat, M.A.A.N., Neubauer, F., Bernroider, M., Friedl, G., Genser, J. & Houshmandzadeh, A. 2013. Cimmerian evolution of the central Iranian basement: evidence from metamorphic units of the Kashmar-Kerman tectonic zone. *Tectonophysics*, 588: 189–208.
- Mastrantonio, B.M., Schultz, C.L., Desojo, J.B. & Garcia, J.B. 2013. The braincase of *Prestosuchus chiniquensis* (Archosauria: Suchia). *Geological Society, London, Special Publications*, 379: 425–440.
- Maxwell, E.E. & Kear, B.P. 2013. Triassic ichthyopterygian assemblages from the Svalbard archipelago: a reassessment of taxonomy and distribution. *GFF*, 135(1): 85–94.
- Maystrenko, Y.P., Bayer, U. & Scheck-Wenderoth, M. 2013. Salt as a 3D element in structural modelling – example from the Central European Basin System. *Tectonophysics*, 591: 62–82.
- Mazzoli, S., Martín-Algarra, A., Reddy, S.M., López Sánchez-Vizcaíno, V., Fedele, L. & Noviello, A. 2013. The evolution of the footwall to the Ronda subcontinental mantle peridotites: insights from the Nieves Unit (western Betic Cordillera). *Journal of the Geological Society, London*, 170(3): 385–402.
- Medvedev, A.Ya. 2013. Platinum group elements in Permo-Triassic volcanics in West Siberia. *Russian Geology and Geophysics*, 54(7): 664–670.
- McGowan, A.J. & Kiessling, W. 2013. Using abundance data to assess the relative role of sampling biases and evolutionary radiations in Upper Muschelkalk ammonoids. *Acta Palaeontologica Polonica*, 58(3): 561–572.
- McHone, J.G. & Fyffe, L. 2013. Geology of the Island of Grand Manan, New Brunswick: Precambrian to Early Cambrian and Triassic formations. *Geoscience Canada*, 40(4): 361–362.
- MacDougall, M.J., Modesto, S.P. & Botha-Brink, J. 2013. The postcranial skeleton of the Early Triassic parareptile *Sauropareion anoplus*, with a discussion of possible life history. *Acta Palaeontologica Polonica*, 58(4): 737–749.
- Meinhold, G. & Kostopoulos, D.K. 2013. The Circum-Rhodope Belt, northern Greece: age, provenance, and tectonic setting. *Tectonophysics*, 595–596: 55–68.
- Meister, P., McKenzie, J.A., Bernasconi, S.M. & Brack, P. 2013. Dolomite formation in the shallow seas of the Alpine Triassic. *Sedimentology*, 60(1): 270–291.
- Mercedes-Martin, R., Salas, R. & Arenas, C. 2013. Facies heterogeneity and depositional models of a Ladinian (Middle Triassic) microbial-dominated carbonate ramp system (Catalan Coastal Ranges, NE Spain). *Marine and Petroleum Geology*, 46: 107–128.
- Metcalfe, I. 2013. Gondwana dispersion and Asian accretion: tectonic and palaeogeographic evolution of eastern Tethys. *Journal of Asian Earth Sciences*, 66: 1–33.
- Metcalfe, I. 2013. Tectonic evolution of the Malay Peninsula. *Journal of Asian Earth Sciences*, 76: 195–213.
- Metcalfe, I., Nicoll, R.S., Willink, R., Ladjavadi, M. & Grice, K. 2013. Early Triassic (Induan–Olenekian) conodont biostratigraphy, global anoxia, carbon isotope excursions and environmental perturbations: new data from Western Australian Gondwana. *Gondwana Research*, 23(3): 1136–1150.
- Meyer, K.M., Yu, M., Lehrmann, D., van de Schootbrugge, B. & Payne, J.L. 2013. Constraints on Early Triassic carbon cycle dynamics from paired organic and inorganic carbon isotope records. *Earth and Planetary Science Letters*, 361: 429–435.
- Michalik, J., Lintnerova, O., Wojcik-Tabol, P., Gazdzicki, A., Grabowski, J., Golej, M., Simo, V. & Zahradnikova, B. 2013. Palaeoenvironments during the Rhaetian transgression and the colonization history of marine biota in the Fatric Unit (Western Carpathians). *Geologica Carpathica*, 64(1): 39–62.
- Mikhalevich, V.I. 2013. New insight into the systematics and evolution of the foraminifera. *Micropaleontology*, 59(6): 493–527.
- Miller, E.L., Soloviev, A.V., Prokopiev, A.V., Toro, J., Harris, D., Kuzmichev, A.B. & Gehrels, G.E. 2013. Triassic river systems and the paleo-Pacific margin of northwestern Pangea. *Gondwana Research*, 23(4): 1631–1645.
- Mirnejad, H., Lalonde, A.E., Obeid, M. & Hassanzadeh, J. 2013. Geochemistry and petrogenesis of Mashhad granitoids: An insight into the geodynamic history of the Paleo-Tethys in northeast of Iran. *Lithos*, 170–171: 105–116.
- Mohriak, W.U., Danforth, A., Post, P.J., Brown, D.E., Tari, G.C., Nemčok, M. & Sinha, S.T. (eds.). 2013. *Conjugate Divergent Margins*. Geological Society, London, Special Publications, 369: vi+568 pp.
- Moisan, P. & Voigt, S. 2013. Lycopods from the Madygen Lagerstätte (Middle to Late Triassic, Kyrgyzstan, Central Asia). *Review of Palaeobotany and Palynology*, 192: 42–64.
- Moix, P., Vachard, D., Allibon, J., Martini, R., Wernli, R., Kozur, H.W. & Stampfli, G.M. 2013. Palaeotethyan, Neotethyan and Huğlu-Pindos Series in the Lycian Nappes (SW Turkey): geodynamical implications. *In*, Tanner, L.H., Spielmann, J.A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 401–444.
- Monnet, C., Bucher, H., Brayard, A. & Jenks, J.F. 2013. *Globacrochordiceras* gen. nov. (Acrochodiceratidae, late Early Triassic) and its significance for stress-induced evolutionary jumps in ammonoid lineages (cephalopods). *Fossil Record*, 16(2): 197–215.
- Monostori, M. & Tóth, E. 2013. Ladinian (Middle Triassic) silicified ostracod faunas from the Balaton Highland

- (Hungary). *Rivista Italiana di Paleontologia e Stratigrafia*, 119(3): 303–23.
- Montefeltro, F.C., Bittencourt, J.S., Langer, M.C. & Schultz, C.L. 2013. Postcranial anatomy of the hyperodapedontine rhynchosaur *Teyumbaita sulcognathus* (Azevedo and Schultz, 1987) from the Late Triassic of southern Brazil. *Journal of Vertebrate Paleontology*, 33(1): 67–84.
- Moonsup Cho, Wonseok Cheong, Ernst, W.G., Keewook Yi & Jeongmin Kim. 2013. SHRIMP U-Pb ages of detrital zircons in metasedimentary rocks of the central Ogcheon fold-thrust belt, Korea: evidence for tectonic assembly of Paleozoic sedimentary protoliths. *Journal of Asian Earth Sciences*, 63: 24–249.
- Mørk, M.B.E. 2013. Diagenesis and quartz cement distribution of low-permeability Upper Triassic–Middle Jurassic reservoir sandstones, Longyearbyen CO₂ lab well site in Svalbard, Norway. *AAPG Bulletin*, 97(4): 577–596.
- Morton, A., Hounslow, M.W. & Frei, D. 2013. Heavy-mineral, mineral-chemical and zircon-age constraints on the provenance of Triassic sandstones from the Devon coast, southern Britain. *Geology*, 19(1–2): 67–85.
- Nakae, S. 2013. Triassic and Middle Jurassic radiolarians from pelagic cherts in the Nanjō Mountains, southwest Japan – Part 1. Imajō district. *Bulletin of the Geological Survey of Japan*, 64(3–4): 85–112.
- Nakae, S. 2013. Triassic and Middle Jurassic radiolarians from pelagic cherts in the Nanjō Mountains, southwest Japan – Part 2. Kanmuri Yama district. *Bulletin of the Geological Survey of Japan*, 64(5–6): 151–190.
- Naydenov, K., Peytcheva, I., von Quadt, A., Sarov, S., Kolcheva, K. & Dimov, D. 2013. The Maritsa strike-slip shear zone between Kostenets and Krichin towns, south Bulgaria: structural, petrographic and isotope geochronology study. *Tectonophysics*, 595–596: 69–89.
- Naylor, D., Al-Rawi, M., Clayton, G., Fitzpatrick, M.J. & Green, P.F. 2013. Hydrocarbon potential in Jordan. *Journal of Petroleum Geology*, 36(3): 205–236.
- Neenan, J.M. & Scheyer, T.M. 2013. Systematics, origins and palaeoecology of placodont marine reptiles. *The Palaeontological Association Newsletter*, 84; Annual Meeting Programme and Abstracts: 51–52.
- Nesbitt, S.J., Barrett, P.M., Werning, S., Sidor, C. & Charig, A.J. 2013. The oldest dinosaur? A Middle Triassic dinosauriform from Tanzania. *Biology Letters*, 9(1), doi: 10.1098/rsbl.2012.0949 (5 pp).
- Nesbitt, S.J., Brusatte, S.L., Desojo, J.B., Liparini, A., de Franca, M.A.G., Weinbaum, J.C. & Gower, D.J. 2013. *Rauisuchia*. Geological Society, London, Special Publications, 379: 241–274
- Nesbitt, S.J. & Butler, R.J. 2013. Redescription of the archosaur *Parringtonia gracilis* from the Middle Triassic Manda beds of Tanzania, and the antiquity of Erpetosuchidae. *Geological Magazine*, 150(2): 225–238.
- Nesbitt, S.J. & Butler, R.J. 2013. Redescription of the archosaur *Parringtonia gracilis* from the Middle Triassic Manda beds of Tanzania, and the antiquity of Erpetosuchidae - CORRIGENDUM. *Geological Magazine*, 150(2): 239.
- Nesbitt, S.J., Butler, R.J. & Gower, D.J. 2013. A new archosauriform (Reptilia: Diapsida) from the Manda Beds (Middle Triassic) of southwestern Tanzania. *PLoS ONE*, 8(9): e72753. doi:10.1371/journal.pone.0072753.
- Nesbitt, S.J., Desojo, J.B. & Irmis, R.B. (eds.). 2013. *Anatomy, Phylogeny and Palaeobiology of Early Archosaurs and their Kin*. Geological Society, London, Special Publications, 379, vi+608 pp.
- Nesbitt, S.J., Desojo, J.B. & Irmis, R.B. 2013. *Anatomy, phylogeny and palaeobiology of early archosaurs and their kin*. Geological Society, London, Special Publications, 379: 1–7.
- Nestell, M.K. & Stevens, C.H. 2013. Mixed Tethyan and McCloud Belt rugose corals and fusulinids in an Upper Triassic conglomerate, central Oregon. *Journal of Paleontology*, 87(5): 909–921.
- Nguyen, B.T.T., Jones, S.J., Goult, N.R., Middleton, A.J., Grant, J., Ferguson, A. & Bowen, L. 2013. The role of fluid pressure and diagenetic cements for porosity preservation in Triassic fluvial reservoirs of the Central Graben, North Sea. *AAPG Bulletin*, 97(8): 1273–1302.
- Nichols, K. & Lucas, S.G. 2013. Norman J. Silberling (1928–2011) In memoriam. *In*, Tanner, L.H., Spielmann, J.A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 23–30.
- Niedźwiedzki, G., Brusatte, S.L. & Butler, R.J. 2013. *Prorotodactylus* and *Rotodactylus* tracks: an ichnological record of dinosauroforms from the Early-Middle Triassic of Poland. Geological Society, London, Special Publications, 379: 319–351.
- Niu Ya-zhuo, Jiang Bao-yu & Zhang Yan-wei. 2013. Late Triassic and Early Jurassic bivalve fossils from eastern South China and their biostratigraphic implications. *Acta Palaeontologica Sinica*, 52(3): 352–376.
- Novikov, I.S. 2013. Reconstructing the stages of orogeny around the Junggar basin from the lithostratigraphy of Late Paleozoic, Mesozoic, and Cenozoic sediments. *Russian Geology and Geophysics*, 54(2): 138–152.
- Nurnberg, S. & Aberhan, M. 2013. Habitat breadth and geographic range predict diversity dynamics in marine Mesozoic vertebrates. *Paleobiology*, 39(3): 360–372.
- Nutman, A.P., Buckman, S., Hidaka, H., Kamiichi, T., Belousova, E. & Aitchison, J. 2013. Middle Carboniferous – Early Triassic eclogite-blueschist blocks within a serpentinite mélange at Port Macquarie, eastern Australia: implications for the evolution of Gondwana's eastern margin. *Gondwana Research*, 24(3–4): 1038–1050.
- Nützel, A. 2013. Revision of genus *Sabrinella* (Gastropoda) and a new minute vetigastropod from the Late Triassic Cassian Formation (N Italy). *Neues Jahrbuch für Geologie und Paläontologie - Abhandlungen*, 269(1): 63–72.
- Ocampo-Díaz, Y.Z.E. & Rubio-Cisneros, I.I. 2013. Sedimentary recycling: compositional analysis associated with unconformities in northwestern Mexico, an Upper Triassic to Lower Cretaceous example. *Boletín de la Sociedad Geológica Mexicana*, 65: 553–572.
- Okrostsvaridze, A.V. & Tormey, D.R. 2013. Phanerozoic

- continental crust evolution of the Inner Caucasian Microplate: the Dzirula massif. *Episodes*, 36(1): 31–38.
- Oliver, G. & Prave, A. 2013. Palaeogeography of Late Triassic red-beds in Singapore and the Indosinian Orogeny. *Journal of Asian Earth Sciences*, 76: 214–224.
- Oosterhout, C.W.M. van & Pöppelreiter, M.C. 2013. Plate reconstructions and distribution of sedimentary facies during the Permo-Triassic opening of the Neo-Tethys ocean. *In*, Pöppelreiter, M.C. (ed.), *Permo-Triassic Sequences of the Arabian Plate*. EAGE Publications bv.: 23–42.
- Oosterink, H.W. & Winkelhorst, H. 2013. Probable remains of jellyfish (Cnidaria, Scyphozoa) from the lower Middle Triassic (Anisian) of Winterswijk, eastern Netherlands. *Netherlands Journal of Geosciences*, 92(1): 61–67.
- Orchard, M.J. 2013. Five new genera of conodonts from the Carnian-Norian boundary beds of Black Bear Ridge, northeast British Columbia, Canada. *In*, Tanner, L.H., Spielmann, J.A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 445–457.
- Osen, A.K., Winguth, A.M.E., Winguth, C. & Scotese, C.R. 2013. Sensitivity of Late Permian climate to bathymetric features and implications for the mass extinction. *Global and Planetary Change*, 105: 171–179.
- Ósi, A., Botfalvai, G., Prondvai, E., Hajdu, Z., Czirják, G., Szentesi, Z., Pozsgai, E., Götz, A.E., Makádi, L., Csengödi, D. & Sebe, K. 2013. First report of Triassic vertebrate assemblages from the Villány Hills (southern Hungary). *Central European Geology*, 56(4): 297–335.
- Otero, A. 2013. Functional anatomy in the transition Prosauroptera-Sauroptera. *The Palaeontological Association Newsletter*, 82: 72–74.
- Otero, A. & Pol, D. 2013. Postcranial anatomy and phylogenetic relationships of *Mussaurus patagonicus* (Dinosauria, Sauropodomorpha). *Journal of Vertebrate Paleontology*, 33(5): 1138–1168.
- Özbey, Z., Ustaömer, T. & Robertson, A.H.F. 2013. Mesozoic magmatic and sedimentary development of the Tavşanlı Zone (NW Turkey): implications for rifting, passive margin development and ocean crust emplacement. *Geological Society, London, Special Publications*, 372: 141–165.
- Özdamar, Ş., Billor, M.Z., Sunal, G., Esenli, F. & Roden, M.F. 2013. First U-Pb SHRIMP zircon and $^{40}\text{Ar}/^{39}\text{Ar}$ ages of metarhyolites from the Afyon – Bolkardag Zone, SW Turkey: implications for the rifting and closure of the Neo-Tethys. *Gondwana Research*, 24(1): 377–391.
- Papanikolaou, D. 2013. Tectonostratigraphic models of the Alpine terranes and subduction history of the Hellenides. *Tectonophysics*, 595-596: 1–24.
- Parker, W.G. & Nesbitt, S.J. 2013. Cranial remains of *Poposaurus gracilis* (Pseudosuchia, Poposauroida) from the Upper Triassic, the distribution of the taxon, and its implications for poposauroid evolution. *Geological Society, London, Special Publications*, 379: 503–523.
- Parrish, J.T. & Soreghan, G.S. 2013. Sedimentary geology and the future of paleoclimate studies. *Sedimentary Record*, 11(2): 4–10.
- Paul, J. 2013. Die Beckenfazies des Buntsandsteins: playa- und fluss-ablagerungen, stromatolithen und klimazyklen (Exkursion C am 4. April 2013) [The basin facies of the Buntsandstein: playa and fluvial deposits, stromatolites and climatic cycles]. *Jahresberichte und Mitteilungen des Oberrheinischen Geologischen Vereins*, 95: 49–70.
- Payne, J.L., Jost, A.B., Wang, S.C. & Skotheim, J.M. 2013. A shift in the long-term mode of foraminiferan size evolution caused by the end-Permian mass extinction. *Evolution*, 67(3): 816–827.
- Pearson, M.R., Benson, R.B.J., Upchurch, P., Fröbisch, J. & Kammerer, C.F. 2013. Reconstructing the diversity of early terrestrial herbivorous tetrapods. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 372: 42–49.
- Peacock, B.R., Sidor, C.A., Nesbitt, S.J., Smith, R.M.H., Steyer, S.J. & Angielczyk, K.D. 2013. A new silesaurid from the upper Ntawere Formation of Zambia (Middle Triassic) demonstrates the rapid diversification of Silesauridae (Avenimetatarsalia, Dinosauriformes). *Journal of Vertebrate Paleontology*, 33(5): 1127–1137.
- Pereira, R. & Alves, T.M. 2013. Crustal deformation and submarine canyon incision in a Meso-Cenozoic first-order transfer zone (SW Iberia, North Atlantic Ocean). *Tectonophysics*, 601: 148–162.
- Perez-Gomez, I., Farqani, S., Claps, M. & Peters, H. 2013. Diagenetic evolution of a Permo-Triassic Khuff oolitic reservoir in north Oman. *In*, Pöppelreiter, M.C. (ed.), *Permo-Triassic Sequences of the Arabian Plate*. EAGE Publications bv.: 327–386.
- Perri, F., Critelli, S., Martín-Algarra, A., Martín-Martín, M., Perrone, V., Mongelli, G. & Zattin, M. 2013. Triassic redbeds in the Malaguide Complex (Betic Cordillera–Spain): petrography, geochemistry and geodynamic implications. *Earth-Science Reviews*, 117: 1–28.
- Petersen, H.I., Lindström, S., Therkalsen, J. & Pedersen, G.K. 2013. Deposition, floral composition and sequence stratigraphy of uppermost Triassic (Rhaetian) coastal coals, southern Sweden. *International Journal of Coal Geology*, 116–117: 117–134.
- Petti, F.M., Bernardi, M., Kustatscher, E., Renesto, S. & Avanzini, M. 2013. Diversity of terrestrial tetrapods and plants in the Triassic of the Southern Alps: ichnological, paleozoological and paleobotanical evidence. *In*, Tanner, L.H., Spielmann, J.A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 448–484.
- Pla, C., Márquez-Aliaga, A. & Botella, H. 2013. The chondrichthyan fauna of the Middle Triassic (Ladinian) of the Iberian Range (Spain). *Journal of Vertebrate Paleontology*, 33(4): 770–785.
- Plasencia, P., Márquez-Aliaga, A. & Jingeng Sha. 2013. A database of Triassic conodonts from a comprehensive revision of literature. *Revista española de paleontología*, 28(2): 215–216.
- Pledge, N.S. 2013. First South Australian labyrinthodont: a possible chigutisaurid stereospondyl amphibian from the Late Triassic of Leigh Creek. *Transactions of the Royal Society of South Australia*, 137(1): 127–134.

- Pledge, N.S. & Baulch, J.C.I. 2013. New fish from the Late Triassic Leigh Creek Coal Measures, South Australia. *Transactions of the Royal Society of South Australia*, 137(1): 90–96.
- Pomoni, F.A. & Tselipidis, V. 2013. Lithofacies paleogeography and biostratigraphy of the lowermost horizons of the Middle Triassic Hallstatt Limestones (Argolis Peninsula, Greece). *Journal of Palaeogeography*, 2(3): 252–274.
- Pöppelreiter, M.C. (ed.). 2013. Permo-Triassic Sequences of the Arabian Plate. EAGE Publications bv, 409 pp.
- Pöppelreiter, M.C. & Obermaier, M. 2013. Regional top seal of the Khuff reservoir: the Sudair Formation. *In*, Pöppelreiter, M.C. (ed.), Permo-Triassic Sequences of the Arabian Plate. EAGE Publications bv.: 387–399.
- Poros, Z., Machel, H.G., Mindszenty, A. & Molnár, F. 2013. Cryogenic powderization of Triassic dolostones in the Buda Hills, Hungary. *International Journal of Earth Sciences*, 102(5): 1513–1539.
- Post, P.J., Elliott, E.T., Klazynski, R.J., Klocek, E.S., Decort, T.M., Riches, T.J. & Kun Li. 2013. US Central Atlantic: new plays and petroleum prospectivity. Geological Society, London, Special Publications, 369: 323–336.
- Pott, C. 2013. *Ctenophyllum* - junior synonym of *Pterophyllum* (Bennettitales: Williamsoniaceae). *Neues Jahrbuch für Geologie und Paläontologie - Abhandlungen*, 269(3): 271–283.
- Preto, N., Agnini, C., Rigo, M., Sprovieri, M. & Westphal, H. 2013. The calcareous nannofossil *Prinsiosphaera* achieved rock-forming abundances in the latest Triassic of western Tethys: consequences for the $\delta^{13}\text{C}$ of bulk carbonate. *Biogeosciences*, 10(9): 6053–6068.
- Preto, N., Willems, H., Guaiumi, C. & Westphal, H. 2013. Onset of significant pelagic carbonate accumulation after the Carnian Pluvial Event (CPE) in the western Tethys. *Facies*, 59(4): 891–914.
- Previtera, M.J., D'Angelo, J.A. & Mancuso, A.C. 2013. Preliminary chemometric study of bone diagenesis in Early Triassic cynodonts from Mendoza, Argentina. *Ameghiniana*, 50(4): 460–468.
- Proemse, B.C., Grasby, S.E., Wieser, M.E., Mayer, B. & Beauchamp, B. 2013. Molybdenum isotopic evidence for oxic marine conditions during the latest Permian extinction. *Geology*, 41(9): 967–970.
- Prokoph, A., El Bilali, H. & Ernst, R. 2013. Periodicities in the emplacement of large igneous provinces through the Phanerozoic: relations to ocean chemistry and marine biodiversity evolution. *Geoscience Frontiers*, 4(3): 263–276.
- Pugh, A.C., Danise, S. & Twitchett, R.J. 2013. Benthic ecosystem dynamics following the Late Triassic mass extinction event. *The Palaeontological Association Newsletter*, 84; Annual Meeting Programme and Abstracts: 83–84.
- Qin-Qin Xu, Jian-Qing Ji, Lei Zhao, Jun-Feng Gong, Jing Zhou, Guo-Qi He, Da-Li Zhong, Jin-Duo Wang & Griffiths, L. 2013. Tectonic evolution and continental crust growth of northern Xinjiang in northwestern China: remnant ocean model. *Earth-Science Reviews*, 126: 178–205.
- Qing-guo Zhai, Bor-ming Jahn, Li Su, Jun Wang, Xuan-Xue Mo, Hao-yang Lee, Kuo-lung Wang & Suohan Tang. 2013. Triassic arc magmatism in the Qiangtang area, northern Tibet: zircon U-Pb ages, geochemical and Sr-Nd-Hf isotopic characteristics, and tectonic implications. *Journal of Asian Earth Sciences*, 63: 162–178.
- QuanFeng Zheng, ChangQun Cao & MingYuan Zheng. 2013. Sedimentary features of the Permian-Triassic boundary sequence of the Meishan section in Changxing County, Zhejiang Province. *SCIENCE CHINA Earth Sciences*, 56(6): 956–969.
- Quiling Gao, Ning Zhang, Wenchen Xia, Qinglai Feng, Zhong-Qiang Chen, Jianping Zheng, Griffin, W.L., O'Reilly, S.Y., Pearson, N.J., Guoqing Wang, Sha Wu, Wenli Zhong & Xiufeng Sun. 2013. Origin of volcanic ash beds across the Permian-Triassic boundary, Daxiakou, South China: petrology and U-Pb age, trace elements and Hf-isotope composition of zircon. *Chemical Geology*, 360–361: 41–53.
- Rajabi, A., Rastad, E. & Canet, C. 2013. Metallogeny of Permian-Triassic carbonate-hosted Zn-Pb and F deposits of Iran: a review for future mineral exploration. *Australian Journal of Earth Sciences*, 60(2): 197–216.
- Raugust, T., Lacerda, M. & Schultz, C.L. 2013. The occurrence of *Chanaresuchus bonapartei* Romer 1971 (Archosauriformes, Proterochampsia) of the Middle Triassic of Brazil from the *Santacruzdon* Assemblage Zone, Santa Maria Formation (Paraná Basin). Geological Society, London, Special Publications, 379: 303–318.
- Reichgelt, T., Parker, W.G., Martz, J.W., Conran, J.G., van Konijnenburg-van Cittert, J.H.A. & Kürschner, W.M. 2013. The palynology of the Sonsela member (Late Triassic Norian) at Petrified Forest National Park, Arizona, USA. *Review of Palaeobotany and Palynology*, 189: 18–28.
- Renesto, S. & Pieroni, V. 2013. Middle Triassic vertebrate remains from Rasa village (Varse, northern Italy). *In*, Tanner, L.H., Spielmann, J.A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 485–488.
- Retallack, G.J. 2013. Permian and Triassic greenhouse crises. *Gondwana Research*, 24(1): 90–103.
- Richoz, S., Baud, A., Beauchamp, B., Grasby, S.E., Henderson, C. & Krystyn, L. 2013. Khuff margin: slope to oceanic deposits (Permian-Triassic allochthonous and exotics, Oman). *In*, Pöppelreiter, M.C. (ed.), Permo-Triassic Sequences of the Arabian Plate. EAGE Publications bv.: 55–76.
- Ridd, M.F. 2013. A Middle Permian-Middle Triassic accretionary complex and a Late Triassic foredeep basin: forerunners of an Indosinian (Late Triassic) thrust complex in the Thailand-Malaysia border area. *Journal of Asian Earth Sciences*, 76: 99–114.
- Ridd, M.F. & Watkinson, I. 2013. The Phuket-Slate Belt terrane: tectonic evolution and strike-slip emplacement of a major terrane on the Sundaland margin of Thailand and Myanmar. *Proceedings of the Geologists' Association*, 124(6): 994–1010.
- Riding, J.B. 2013. The literature on Triassic, Jurassic and earliest Cretaceous dinoflagellate cysts: Supplement 1. *Palynology*, 37(2): 345–354.

- Riel, N., Guillot, S., Jaillard, E., Martelat, J.-E., Paquette, J.-L., Schwartz, S., Goncalves, P., Duclaux, G., Thebaud, N., Lanari, P., Janots, E. & Yuquilema, J. 2013. Metamorphic and geochronological study of the Triassic El Oro metamorphic complex, Ecuador: implications for high-temperature metamorphism in a forearc zone. *Lithos*, 156–159: 41–68.
- Rigaud, S., Blau, J., Martini, R. & Rettori, R. 2013. Taxonomy and phylogeny of the Trocholinidae (Involutina). *Journal of Foraminiferal Research*, 43(4): 317–339.
- Rigaud, S., Martini, R. & Rettori, R. 2013. A new genus of Norian involutinid foraminifer: its morphological, biostratigraphic and evolutionary significance. *Acta Paleontologica Polonica*, 58(2): 391–405.
- Rigo, M., McRoberts, C., Ciarapica, G., Giordana, N. & Bachan, A. 2013. New stratigraphic, paleontologic and geochemical data around the Triassic-Jurassic boundary at Portovenere (Northern Apennines, Italy). *In*, Tanner, L.H., Spielmann, J.A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 489–499.
- Rinehart, L.F. & Lucas, S.G. 2013. A population of *Antediplodon dockumensis* (Bivalvia: Unionoidea: Hyriidae) from the Revueltian (Upper Triassic: early-mid Norian) Bull Canyon Formation of West Texas: growth, allometry, productivity and ecology. *In*, Tanner, L.H., Spielmann, J.A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 500–523.
- Rinehart, L.F. & Lucas, S.G. 2013. The functional morphology of dermal bone ornamentation in temnospondyl amphibians. *In*, Tanner, L.H., Spielmann, J.A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 524–532.
- Rinehart, L.F. & Lucas, S.G. 2013. Tooth form and function in temnospondyl amphibians: relationship of shape to applied stress. *In*, Tanner, L.H., Spielmann, J.A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 533–542.
- Ripponington, S., Cunningham, D., England, R. & Hendriks, B. 2013. The crustal assembly of southern Mongolia: New structural, lithological and geochronological data from the Nemegt and Altan ranges. *Gondwana Research*, 23(4): 1535–1553.
- Robertson, A.H.F., Parlak, O., Metin, Y., Vergili, Ö., Tasli, K., İnam, N. & Soycan, H. 2013. Late Palaeozoic-Cenozoic tectonic development of carbonate platform, margin and oceanic units in the Eastern Taurides, Turkey. *Geological Society, London, Special Publications*, 372: 167–218.
- Robertson, A.H.F., Parlak, O. & Ünlügens, U. (eds.). 2013. *Geological Development of Anatolia and the Easternmost Mediterranean Region*. Geological Society, London, Special Publications, 372: vi+649 pp.
- Robertson, A.H.F., Parlak, O. & Ustaömer, T. 2013. Late Palaeozoic-Early Cenozoic tectonic development of Southern Turkey and the easternmost Mediterranean region: evidence from the inter-relations of continental and oceanic units. *Geological Society, London, Special Publications*, 372: 9–48.
- Robertson, A.H.F., Trivić, B., Đerić, N. & Bucur, I.I. 2013. Tectonic development of the Vardar Ocean and its margins: evidence from the Republic of Macedonia and Greek Macedonia. *Tectonophysics*, 595–596: 25–54.
- Rolland, Y., Alexeiev, D.V., Kröner, A., Corsini, M., Loury, C. & Monié, P. 2013. Late Palaeozoic to Mesozoic kinematic history of the Talas-Ferghana strike-slip fault (Kyrgyz West Tianshan) as revealed by ⁴⁰Ar/³⁹Ar dating of syn-kinematic white mica. *Journal of Asian Earth Sciences*, 67–68: 76–92.
- Romano, C., Goudemand, N., Vennemann, T.W., Ware, D., Schneebeli-Hermann, E., Hochuli, P.A., Brühwiler, T., Brinkmann, W. & Bucher, H. 2013. Climatic and biotic upheavals following the end-Permian mass extinction. *Nature Geoscience*, 6(1): 57–60.
- Romano, C. & Koot, M. 2013. Permian-Triassic fishes: extinction and recovery. *The Palaeontological Association Newsletter*, 84; Annual Meeting Programme and Abstracts: 53–54.
- Roniewicz, E. & Stanley, G.D. Jr. 2013. Upper Triassic corals from Nevada, western North America, and the implications for paleoecology and paleogeography. *Journal of Paleontology*, 87(5): 934–964.
- Rosland, A., Escalona, A. & Rolfsen, R. 2013. Permian-Holocene tectonostratigraphic evolution of the Mandal High, Central Graben, North Sea. *AAPG Bulletin*, 97(6): 928–957.
- Rožič, B., Gale, L. & Kolar-Jurkovešek, T. 2013. Extent of the Upper Norian-Rhaetian Slatnik Formation in the Tolmin Nappe, eastern Southern Alps. *Geologija*, 56(2): 175–186.
- Rubin, H., Rubin, K., Witkowski, A.J. & Wróbel, J. 2013. Assessments of the impact of zinc smelter “Miasteczko Śląskie” on groundwater quality of the Triassic carbonate aquifer within Lubliniec – Myszków major groundwater basin. *Biuletyn Pánstwowego Instytutu Geologicznego*, 456: 525–532.
- Ruta, M., Angielczyk, K.D., Fröbisch, J. & Benton, M.J. 2013. Decoupling of morphological disparity and taxic diversity during the adaptive radiation of anomodont therapsids. *Proceedings of the Royal Society, B*. 280(1768) 20131971; doi: 10.1098/rspb.2013.1971 (9 pp).
- Ruta, M., Angielczyk, K.D., Fröbisch, J. & Benton, M.J. 2013. Correction: decoupling of morphological disparity and taxic diversity during the adaptive radiation of anomodont therapsids. *Proceedings of the Royal Society, B*. 280(1768) 20132414; doi: 10.1098/rspb.2013.2414 (2 pp).
- Ruta, M., Botha-Brink, J., Mitchell, S.A. & Benton, M.J. 2013. The radiation of cynodonts and the ground plan of mammalian morphological diversity. *Proceedings of the Royal Society, B*. 280(1769) 20131865; doi: 10.1098/rspb.2013.1865 (10 pp).
- Rychliński, T., Ivanova, D.K., Jaglarz, P. & Bucur, I.I. 2013. Benthic foraminifera and calcareous algae from the Anisian-Norian succession in the Tatras (Poland, Slovakia): new data from High-Tatric and Križna units. *Studia Universitatis Babeş-Bolyai, Geologia*, 58(1), 21–43.
- Sadlok, G. & Wawrzyniak, Z. 2013. Upper Triassic vertebrate tracks from Kraków-Częstochowa Upland, southern Poland.

- Annales Societatis Geologorum Poloniae, 83(2): 105–111.
- Saito, R., Kaiho, K., Oba, M., Takahashi, S., Zhong-Qiang Chen & Jinnan Tong. 2013. A terrestrial vegetation turnover in the middle of the Early Triassic. *Global and Planetary Change*, 105: 152–159.
- Saito, R., Oba, M., Kaiho, K., Maruo, C., Fujibayashi, M., Jing Chen, Zhong-Qiang Chen & Jinnan Tong. 2013. Ether lipids from the Lower and Middle Triassic at Qingyan, Guizhou Province, southern China. *Organic Geochemistry*, 58: 27–42.
- Saller, F., Renesto, S. & Dalla Vecchia, F.M. 2013. First record of *Langobardisaurus* (Diapsida, Protosauria) from the Norian (Late Triassic) of Austria, and a revision of the genus. *Neues Jahrbuch für Geologie und Paläontologie – Abhandlungen*, 268(1): 83–95.
- Saġnikova, E.B., Kotov, A.B., Kovach, V.P., Velikoslavinskii, S.D., Jahn, B.-M., Sorokin, A.A., Sorokin, A.P., Wang, K.-L., Chan, S.-L., Li, H.-Ya, & Tolmacheva, E.V. 2013. Mesozoic age of the Uril Formation of the Amur Group, Lesser Khingan Terrane of the Central Asian Foldbelt: results of U-Pb and Lu-Hf isotopic studies of detrital zircons. *Doklady Earth Sciences*, 453(2): 1181–1184.
- Saltzman, M.R. & Sedlacek, A.R.C. 2013. Chemostratigraphy indicates a relatively complete Late Permian to Early Triassic sequence in the western United States. *Geology*, 41(4): 399–402.
- Sánchez-Beristain, F., López-Esquivel Kranksith, L., García-Barrera, P. & Reitner, J. 2013. El primer registro de *Koskinobullina socialis* (Foraminifera) para el Triásico de Europa y sus implicaciones paleoecológicas. *Boletín Geológica y Mínero*, 124: 437–450.
- Sanghoon Kwon, Sung Won Kim & Santosh, M. 2013. Multiple generations of mafic-ultramafic rocks from the Hongseong suture zone, western South Korea: implications for the geodynamic evolution of NE Asia. *Lithos*, 160–161: 68–83.
- Sanz, T., Lago, M., Galé, C., Ubide, T., Pocovi, A. & Gil, A. 2013. Magmatic rocks in the Tramuntana Chain (N of Mallorca, Spain): stratigraphic context. *Geogaceta*, 54: 39–42.
- Sanz, T., Lago, M., Gil, A., Galé, C., Ramajo, J., Ubide, T., Pocovi, A., Tierz, P. & Larrea, P. 2013. The Upper Triassic alkaline magmatism in the NW Iberian Chain (Spain). *Journal of Iberian Geology*, 39(2): 203–222.
- Scheib, C., Appleton, J.D., Miles, J.C.H. & Hodgkinson, E. 2013. Geological controls on radon potential in England. *Proceedings of the Geologists' Association*, 124(6): 910–928.
- Schintgen, T. & Förster, A. 2013. Geology and basin structure of the Trier–Luxembourg Basin – implications for the existence of a buried Rotliegend Graben. *Zeitschrift der Deutschen Gesellschaft für Geowissenschaften*, 164(4): 615–637.
- Schneebeil-Hermann, E., Kürschner, W.M., Hochuli, P.A., Ware, D., Weissert, H., Bernasconi, S.M., Roohi, G., ur-Rehman, K., Goudemand, N. & Bucher, H. 2013. Evidence for atmospheric carbon injection during the end-Permian extinction. *Geology*, 41(5): 579–582.
- Schoch, R.R. 2013. How body size and development biased the direction of evolution in early amphibians. *Historical Biology*, 25(2): 155–165.
- Schoch, R.R. 2013. The evolution of major temnospondyl clades: An inclusive phylogenetic analysis. *Journal of Systematic Palaeontology*, 11(6): 673–705.
- Schoch, R.R. 2013. The evolution of life cycles in temnospondyls. *Palaeontological Association Newsletter*, 84; Annual Meeting Programme and Abstracts: 20.
- Schoepfer, S.D., Henderson, C.M., Garrison, G.H., Foriel, J., Ward, P.D., Selby, D., Hower, J.C., Algeo, T.J. & Yanan Shen. 2013. Termination of a continent-margin upwelling system at the Permian–Triassic boundary (Opal Creek, Alberta, Canada). *Global and Planetary Change*, 105: 21–35.
- Schorn, A., Neubauer, F., Genser, J. & Bernroider, M. 2013. The Haselgebirge evaporitic mélange in central Northern Calcareous Alps (Austria): part of the Permian to Lower Triassic rift of the Meliata ocean? *Tectonophysics*, 583: 28–48.
- Schrag, D.P., Higgins, J.A., Macdonald, F.A. & Johnston, D.T. 2013. Authigenic carbonate and the history of the global carbon cycle. *Science*, 339(6119): 540–543.
- Schuh, M. 2013. Berichte 2012 über geologische Aufnahmen im mittleren und hinteren Kaisertal (Kaisergebirge) auf Blatt 3213 Kufstein. *Jahrbuch der Geologischen Bundesanstalt, Wien*, 153(1-4): 430–432.
- Schuster, R. (ed.). 2013. 11th Workshop on Alpine Geological Studies and 7th European Symposium on Fossil Algae, Schladming, Austria, September 2013. Abstracts and Field Guides. *Berichte der Geologischen Bundesanstalt, Wien*, 99: 286 pp.
- Sebe, O., Crasquin, S. & Gradinaru, E. 2013. Early and Middle Anisian (Triassic) deep-water ostracods (Crustacea) from North Dobrogea (Romania). *Revue de Paléobiologie*, 32(2): 509–529.
- Seidel, G. 2013. Der Einfluss der Fazies des Zechsteins und der Trias auf den Bau der Thüringer Mulde. *Semana (Veröffentlichungen des Naturhistorischen Museums Schleusingen)*, 28: 69–80.
- Senhu Lin, Xuanjun Yuan, Shizhen Tao & Zhi Yang. 2013. Geochemical characteristics of the source rocks in Mesozoic Yanchang formation, central Ordos Basin. *Journal of Earth Science*, 24(5): 804–814.
- Senobari-Daryan, B. 2013. *Tubiphytes* Maslov, 1956 and description of similar organisms from Triassic reefs of the Tethys. *Facies*, 59(1): 75–112.
- Senobari-Daryan, B. & Amirhassankhani, F. 2013. Chambered hexactinellid sponges from Upper Triassic (Norian-Rhaetian) reefs of Nayband Formation in central Iran. *Rivista Italiana di Paleontologia e Stratigrafia*, 118(2): 247–260.
- Senobari-Daryan, B. & Amirhassankhani, F. 2013. *Loucenipora iranica* nov. sp., an unusually large chaetetid sponge from the Upper Triassic (Howz-e Khan member, Nayband Formation) of north east Iran. *Zitteliana*, A53: 15–22.
- Seward, L.J., Stallebrass, S.E. & Skipper, J. 2013. Remoulding of the Mercia Mudstone Group around CFA pile shafts. *Quarterly Journal of Engineering Geology and Hydrogeology*, 46(1): 41–51.
- Seyfullah, L.J., Kustatscher, E. & Taylor, W.A. 2013. The first discovery of in situ *Verrucosiporites appianatus* spores from the Middle Triassic flora from Bromsgrove (Worcestershire, UK). *Review of Palaeobotany and Palynology*, 197: 15–25.

- Shan Li, Tao Wang, Wilde, S.A. & Ying Tong. 2013. Evolution, source and tectonic significance of Early Mesozoic granitoid magmatism in the Central Asian Orogenic Belt (central segment). *Earth-Science Reviews*, 126: 206–234.
- Shang Qing-hua & Li Chun. 2013. The sexual dimorphism of *Shastasaurus tangae* (Reptilia: Ichthyosauria) from the Triassic Guanling Biota, China. *Vertebrata Palasiatica*, 51(4): 253–264.
- ShaoFeng Liu & GuoWei Zhang. 2013. Mesozoic basin development and its indication of collisional orogeny in the Dabai orogen. *Chinese Science Bulletin*, 58(8): 827–852.
- Shaofeng Liu, San Su & GuoWei Zhang. 2013. Early Mesozoic basin development in North China: indications of cratonic deformation. *Journal of Asian Earth Sciences*, 62: 221–236.
- Shen Liu, Ruizhong Hu, Shan Gao, Caixia Feng, Coulson, I.M., Guangying Feng, Youqiang Qi, Yuhong Yang, Chaogui Yang & Liang Tang. 2013. Zircon U–Pb age and Sr–Nd–Hf isotopic constraints on the age and origin of Triassic mafic dikes, Dalian area, Northeast China. *International Geology Review*, 55(2): 249–262.
- Shi-Yong Liao, Fu-Guang Yin, Zhi-Ming Sun, Dong-Bing Wang, Yuan Tang & Jie Sun. 2013. Early Middle Triassic mafic dikes from the Baoshan subterrane, western Yunnan: implications for the tectonic evolution of the Palaeotethys in southeast Asia. *International Geology Review*, 55(6): 976–993.
- Shooshtarizadeh, P. & Yazdi, M. 2013. Conodont biostratigraphy of Permian–Triassic boundary deposits in Koh-e-Chah Kaland, north of Abadeh, Iran. *In*, Tanner, L.H., Spielmann, J.A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 543–555.
- Shu-zhong Shen, Chang-qun Cao, Hua Zhang, Bowring, S.A., Henderson, C.M., Payne, J.L., Davydov, V.I., Bo Chen, Dong-xun Yuan, Yi-chun Zhang, Wei Wang & Quan-feng Zheng. 2013. High-resolution $\delta^{13}\text{C}_{\text{carb}}$ chemostratigraphy from latest Guadalupian through earliest Triassic in South China and Iran. *Earth and Planetary Science Letters*, 375: 156–165.
- Shugen Liu, Bin Deng, Jansa, B., Guozhi Wang, Xianghui Li, Chengshan Wang, Shun Liu, Zhiwu Li, Juchu Li, Wei Sun & Bo Ran. 2013. Late Triassic thickening of the Songpan-Ganzi Triassic flysch at the edge of the northeastern Tibetan Plateau. *International Geology Review*, 55(16): 2008–2015.
- Simpson, E.L., Hartline, B.W., Szajna, M.J., Fillmore, D.L. & Heness, E.A. 2013. An ensiferan (cricket) fossil from the Late Triassic Lockatong Formation, Newark Basin, Pennsylvania. *In*, Tanner, L.H., Spielmann, J.A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 556–561.
- Singh, P., Hussain, R., Al-Zuabi, Y., Al-Khaled, O., Rahaman, M., Hameed, M., Ebrahim, M., Haffez, M., Al-Rashid, T., Al-Ghareeb, S., Al-Kandary, A. & Al-Fares, A. 2013. Basement configuration and its impact on Permo-Triassic prospectivity in Kuwait. *In*, Pöppelreiter, M.C. (ed.), *Permo-Triassic Sequences of the Arabian Plate*. EAGE Publications bv.: 43–54.
- Sinitshenkova, N.D. 2013. New mayflies (Insecta: *Ephemera* = *Ephemeroptera*) from the intertrappean deposits of the Tunguska Basin, Siberia. *Paleontological Journal*, 47(1): 84–88.
- Skawina, A. 2013. Population dynamics and taphonomy of the Late Triassic (Carnian) freshwater bivalves from Krasiejón (Poland). *Palaeogeography, Palaeoclimatology, Palaeoecology*, 379–380: 68–80.
- Small, B.J. & Martz, J.W. 2013. A new aetosaur from the upper Triassic Chinle Formation of the Eagle Basin, Colorado, USA. Geological Society, London, Special Publications, 379: 393–412.
- Smyshlyaeva, O.P. & Zakharov, Y.D. 2013. New members of the Family Flemingitidae (Ammonoidea) from the Lower Triassic of Primorye. *Paleontological Journal*, 47(3): 247–255.
- Sobolev, N.V., Logvinova, A.M., Nikolenko, E.I. & Lobanov, S.S. 2013. Mineralogical criteria for the diamond potential of Upper Triassic placers on the northeastern margin of the Siberian Platform. *Russian Geology and Geophysics*, 54(8): 903–916.
- Sookias, R.B. & Butler, R.J. 2013. *Euparkeriidae*. Geological Society, London, Special Publications, 379: 35–48.
- Sookias, R.B., Senniikov, A.G., Butler, R.J. & Gower, D.J. 2013. Redescription and phylogenetic position of the archosauriform *Dorosuchus neoetus* from the Middle Triassic of Russia. *Palaeontological Association Newsletter*, 84; Annual Meeting Programme and Abstracts: 88.
- Sorokin, A.A. & Kudryashov, N.M. 2013. Early Mesozoic magmatism of the Bureinskii Terrane of the Central Asian Foldbelt: age and geodynamic setting. *Doklady Earth Sciences*, 452(1): 915–921.
- Sowizdzal, A., Papiernik, B., Machowski, G. & Hajto, M. 2013. Petrophysical parameters of the Lower Triassic deposits in prospective location for Enhanced Geothermal System (central Poland). *Geological Quarterly*, 57(4): 729–744.
- Spielmann, J.A., Lucas, S.G., Heckert, A.B. & Krzysanowski, S.E. 2013. *Trilophosaurus* (Archosauromorpha: Trilophosauridae) postcrania from the Upper Triassic Blue Mesa Member of the Petrified Forest Formation (Carnian: Adanian), Arizona, USA. *In*, Tanner, L.H., Spielmann, J.A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 567–572.
- Spielmann, J.A., Lucas, S.G. & Huber, P. 2013. A new record of *Spinosuchus caseanus* (Archosauromorpha: Trilophosauridae) from the Late Triassic (Adanian) of West Texas. *In*, Tanner, L.H., Spielmann, J.A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 573–576.
- Spielmann, J.A., Lucas, S.G. & Hunt, A.P. 2013. The first Norian (Revueltian) rhynchosaur: Bull Canyon Formation, New Mexico, U.S.A. *In*, Tanner, L.H., Spielmann, J.A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 562–566.
- Stampfli, G.M., Hochard, C., Vèrard, C., Wilhem, C. & von

- Raumer, J. 2013. The formation of Pangea. *Tectonophysics*, 593: 1-19.
- Stanley, G.D. Jr., Yancey, T.E. & Shepherd, H.M.E. 2013. Giant Upper Triassic bivalves of Wrangellia, Vancouver Island, Canada. *Canadian Journal of Earth Sciences*, 50(2): 142–147.
- Stockar, R., Adatte, T., Baumgartner, P.O. & Föllmi, K.B. 2013. Palaeoenvironmental significance of organic facies and stable isotope signatures: the Ladinian San Giorgio Dolomite and Meride Limestone of Monte San Giorgio (Switzerland, WHL UNESCO). *Sedimentology*, 60(1): 239–269.
- Stockar, R. & Garassimo, A. 2013. *Meridecaris ladinica*, n.gen. n.sp. (Crustacea, Decapoda, Clytiopsida) from the Middle Triassic (Ladinian) of Monte San Giorgio (Canton Ticino, Switzerland). *Neues Jahrbuch für Geologie und Paläontologie Abhandlungen*, 270(3): 347–356.
- Stocker, M.R. & Butler, R.J. 2013. Phytosauria. *Geological Society, London, Special Publications*, 379: 91–117.
- Stubbs, T. & Benton, M.J. 2013. The adaptive radiation of Triassic marine reptiles. *The Palaeontological Association Newsletter*, 84; Annual Meeting Programme and Abstracts: 89.
- Stubbs, T.L., Pierce, S.E., Rayfield, E.J. & Anderson, P.S.L. 2013. Morphological and biomechanical disparity of crocodile-line archosaurs following the end-Triassic extinction. *Proceedings of the Royal Society, B*. 280(1770) 20131940; doi: 10.1098/rspb.2013.1940 (9 pp).
- Sudar, M.N., Gawlick, H.-J., Lein, R., Missoni, S., Kovács, S. & Jovanović, D. 2013. Depositional environment, age and facies of the Middle Triassic Bulog and Rid formations in the Inner Dinarides (Zlatibor Mountain, SW Serbia): evidence for the Anisian break-up of the Neotethys Ocean. *Neues Jahrbuch für Geologie und Paläontologie - Abhandlungen*, 269(3): 291–320.
- Sues, H.-D., Desojo, J.B. & Ezcurra, M.D. 2013. Doswellidae: a clade of unusual armoured archosauriformes from the Lower and Middle Triassic. *Geological Society, London, Special Publications*, 379: 49–58.
- Sues, H.-D., Hook, R.W. & Olsen, P.E. 2013. Donald Baird and his discoveries of Carboniferous and early Mesozoic vertebrates in Nova Scotia. *Atlantic Geology*, 49: 90–103.
- Sues, H.-D. & Schoch, R.R. 2013. First record of *Cognathus* (?Amniota) from the Middle Triassic of Europe. *Journal of Vertebrate Paleontology*, 33(4): 998–1002.
- Sues, H.-D. & Schoch, R.R. 2013. Anatomy and phylogenetic relationships of *Calamops paludosus* (Temnospondyli, Stereospondyli) from the Triassic of the Newark Basin, Pennsylvania. *Journal of Vertebrate Paleontology*, 33(5): 1061–1070.
- Sues, H.-D. & Schoch, R.R. 2013. Reassessment of cf. *Halticosaurus orbitoangulatus* from the Upper Triassic (Norian) of Germany – a pseudosuchian, not a dinosaur. *Zoological Journal of the Linnean Society*, 168(4): 859–872.
- Sulej, T. & Niedźwiedski, G. 2013. A new large temnospondyl amphibian from the Early Triassic of Poland. *Acta Palaeontologica Polonica*, 58(1): 65–75.
- Sun, Z., Tintori, A., Jiang, D. & Motani, R. 2013. A new perleiid from the Spathian (Olenekian, Early Triassic) of Chaohu, Anhui Province, China. *Rivista Italiana di Paleontologia e Stratigrafia*, 119(3): 275–285.
- Sung Kwun Chough, Dong Jin Lee & Jin-Han Ree. 2013. Whereabouts of the collision belt between the Sino-Korean and South China blocks in the northeast Asian margin. *Geosciences Journal*, 17(4): 397–401.
- Szurlies, M. 2013. Late Permian (Zechstein) magnetostratigraphy in Western and Central Europe. *Geological Society, London, Special Publications*, 376: 73–85.
- Taborda, J.R.A., Cerda, I.A. & Desojo, J.B. 2013. Growth curve of *Aetosauroides scagliai* Casamiguela 1960 (Pseudosuchia: Aetosauria) inferred from osteoderm histology. *Geological Society, London, Special Publications*, 379: 413–440.
- Takahashi, S., Kaiho, K., Hori, R.S., Gorjan, P., Watanabe, T., Yamakita, S., Aita, Y., Takemura, A., Spörli, K.B., Kakegawa, T. & Oba, M. 2013. Sulfur isotope profiles in the pelagic Panthalassic deep sea during the Permian–Triassic transition. *Global and Planetary Change*, 105: 68–78.
- Tan Kai & Jin Fan. 2013. Re-study of *Gymnoichthys inopinatus* from Middle Triassic of Luoping, Yunnan, China. *Vertebrata Palasiatica*, 51(1): 1–16.
- Tanner, L.H. 2013. The enigmatic Quaco cobbles, Upper Triassic, Canadian Maritimes: deformation by tectonics or seismic shock? *In*, Tanner, L.H., Spielmann, J.A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 577–581.
- Tanner, L.H. & Lucas, S.G. 2013. Degraded wood in the Upper Triassic Petrified Forest Formation (Chinle Group), northern Arizona: differentiating fungal rot from arthropod boring. *In*, Tanner, L.H., Spielmann, J.A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 582–588.
- Tanner, L.H. & Lucas, S.G. 2013. Isotopic composition of carbonate facies in formations of the Upper Triassic Chinle Group, Four Corners area, southwestern United States. *In*, Tanner, L.H., Spielmann, J.A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 589–596.
- Tanner, L.H., Spielmann, J.A. & Lucas, S.G. (eds.). 2013. *The Triassic System: new developments in stratigraphy and paleontology*. New Mexico Museum of Natural History and Science Bulletin, 61: iv+612 pp.
- Tao Chongzhi, Bai Guoping, Liu Junlan, Deng Chao, Lu Xiaoxin, Liu Houwu & Wang Dapeng. 2013. Palaeogeography and mineral resources, Mesozoic lithofacies, palaeogeography and petroleum prospectivity in North Carnarvon Basin, Australia. *Journal of Palaeogeography*, 2(1): 66–80.
- Tao Yang, Laimin Zhu, Fei Wang, Hujun Gong & Rukai Lu. 2013. Geochemistry, petrogenesis and tectonic implications of granitic plutons at the Lizizuan orogenic goldfield in the Western Qinlong Orogen, central China. *Geological Magazine*, 150(1): 50–71.
- Tari, G. & Jabour, H. 2013. Salt tectonics along the Atlantic margin of Morocco. *Geological Society, London, Special*

- Publications, 369: 337–353.
- Tassi, L.V., Monti, M., Gallego, O.F., Zavattieri, A.M. & Lara, M.B. 2013. The first spinicaudatan (Crustacea: Diplostraca) from Permo-Triassic continental sequences of South America and its palaeoecological context. *Alcheringa*, 37(2): 189–201.
- Tatzreiter, F. & Zorn, I. 2013. The cephalopods of the Hallstatt Limestone described in the monographs by Edmund von Mojsisovics 1873, 1875 and 1902 stored in the Palaeontological Collection of the Geological Survey of Austria. *Jahrbuch der Geologischen Bundesanstalt*, Wien, 153(1–4): 107–190.
- Thuy, B., Ishida, Y., Doi, E. & Kroh, A. 2013. New ophiacanthid brittle stars (Echinodermata: Ophiuroidea) from the Upper Triassic of Japan: first insights into the origin and evolution of an extant deep-sea group. *Journal of Systematic Palaeontology*, 11(5): 515–530.
- Tintori, A. 2013. A new species of *Saurichthys* (Actinopterygii) from the Middle Triassic (Early Ladinian) of the Northern Grigna Mountain (Lombardy, Italy). *Rivista Italiana di Paleontologia e Stratigrafia*, 119(3): 287–302.
- Tohver, E., Cawood, P.A., Riccomini, C., Lana, C. & Trindade, R.I.F. 2013. Shaking a methane fizz: seismicity from the Araguainha impact event and the Permian-Triassic global carbon isotope record. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 387: 66–75.
- Toljagić, O. & Butler, R.J. 2013. Triassic-Jurassic mass extinction as trigger for the Mesozoic radiation of crocodylomorphs. *Biology Letters*, 9(3), 20130095, doi: 10.1098/rsbl.2013.0095 (4 pp).
- Torsvik, T.H. & Cocks, L.R.M. 2013. Gondwana from top to base in space and time. *Gondwana Research*, 24(3–4): 999–1030.
- Touping Peng, Wilde, S.A., Yuejun Wang, Weiming Fan & Bingxia Peng. 2013. Mid-Triassic felsic igneous rocks from the southern Lancangjiang Zone, SW China: petrogenesis and implications for the evolution of Paleo-Tethys. *Lithos*, 168–169: 15–32.
- Tremblay, A., Roden-Tice, M.K., Brandt, J.A. & Megan, T.W. 2013. Mesozoic fault reactivation along the St. Lawrence rift system, eastern Canada: thermochronologic evidence from apatite fission-track dating. *Geological Society of America Bulletin*, 125(5/6): 794–810.
- Trendell, A.M., Nordt, L.C., Atchley, S.C., Leblanc, S.L. & Dworkin, S.I. 2013. Determining floodplain plant distributions and populations using paleopedology and fossil root traces: Upper Triassic Sonsela Member of the Chinle Formation at Petrified Forest National Park, Arizona. *Palaios*, 28(7): 471–490.
- Trippetta, F., Colletini, C., Meredith, P.G. & Vinciguerra, S. 2013. Evolution of the elastic moduli of seismogenic Triassic evaporites subjected to cyclic stressing. *Tectonophysics*, 592: 67–79.
- Trotteyn, M.J., Arcucci, A.B. & Raugust, T. 2013. Proterochampsia: an endemic archosauriform clade from South America. *Geological Society, London, Special Publications*, 379: 59–90.
- Trotteyn, M.J. & Martinez, R.N. 2013. First record of coxofemoral dysplasia in a Late Triassic rhynchosaur. *Ameghiniana*, 50(2): 217–226.
- Tsuji, L.A., Sobral, G. & Müller, J. 2013. *Ruhuhuarua reisi*, a new procolophonoid reptile from the Triassic Ruhuhu Basin of Tanzania. *Comptes Rendus Palevol*, 12(7–8): 487–494.
- Turner, A.H. & Nesbitt, S.J. 2013. Body size evolution during the Triassic archosauriform radiation. *Geological Society, London, Special Publications*, 379: 573–597.
- Vajda, V., Calner, M. & Ahlberg, A. 2013. Palynostratigraphy of dinosaur footprint-bearing deposits from the Triassic-Jurassic boundary interval of Sweden. *GFF*, 135(1): 120–130.
- Van de Schootbrugge, B., Bachan, A., Suan, G., Richoz, S. & Payne, J.L. 2013. Microbes, mud and methane: cause and consequence of recurrent Early Jurassic anoxia following the end-Triassic mass extinction. *Palaeontology*, 56(4): 685–709.
- Veevers, J.J. 2013. Pangea: geochronological correlation of successive environments and strati-tectonic phases in Europe and Australia. *Earth-Science Reviews*, 127: 48–95.
- Vérard, C. & Stampfli, G.M. 2013. Geodynamic reconstructions of the Australides – 2: Mesozoic-Cainozoic. *Geosciences* 3(2): 331–353.
- Viglietti, P.A., Smith, R.M.H. & Compton, J.S. 2013. Origin and palaeoenvironmental significance of *Lystrosaurus* bonebeds in the earliest Triassic Karoo Basin, South Africa. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 392: 9–21.
- Vilhena, D.A. & Smith, A.B. 2013. Spatial bias in the marine fossil record. *PLoS ONE*, 8(10): e74470. doi:10.1371/journal.pone.0074470.
- Vitte, L.V. & Vasilevskiy, A.N. 2013. Geologic nature of regional magnetic and gravity anomalies in the Mongol-Transbaikalian province of the Central Asian Fold Belt. *Russian Geology and Geophysics*, 54(12): 1442–1449.
- Volkov, A.N. 2013. New species of Triaplidae from the Babii Kamen' locality (Kuznetsk Basin). *Paleontological Journal*, 47(1): 94–97.
- Walther, M. & Fröbisch, J. 2013. The quality of the fossil record of anomodonts (Synapsida, Therapsida). *Comptes Rendus Palevol*, 12(7–8): 495–504.
- Wang Feng Qin, Wang Xiang Zeng, Zhang Li Xia, Liu Hong Jun & Lei Yu. 2013. The shale gas resources estimation: an example from Mesozoic Triassic Yanchang Formation Member Chang 7, Ordos Basin. *Earth Science Frontiers*, 20(3): 240–246.
- Wang, H., Rahn, M., Zhou, J. & Tao, X. 2013. Tectonothermal evolution of the Triassic flysch in the Songpan-Garzê orogen, eastern Tibetan plateau. *Tectonophysics*, 608: 505–516.
- Wang Jianpo, Cheng Long & Zeng Xiongwei. 2013. Microfacies and depositional environment evolution of the Middle-Upper Triassic Zhuganpo Formation in Zhenfeng, southwestern Guizhou. *Geological Journal of China Universities*, 19(3): 513–519.
- Wang Runfu, Xu Shichao, Wu Xiaochun, Li Chun & Wang Suozhu. 2013. A new specimen of *Shansisuchus shansisuchus* Young, 1964 (Diapsida, Archosauriformes) from the Triassic of Shanxi, China. *Acta Geologica Sinica*, 87(5): 1185–1197.
- Wang Zecheng, Huang Shipeng, Gong Deyu, Wu Wei & Yu Chong. 2013. Geochemical characteristics of natural gases

- in the Upper Triassic Xujiahe Formation in the southern Sichuan Basin, SW China. *International Journal of Coal Geology*, 120: 15–23.
- Ware, D. & Bucher, H. 2013. High resolution biostratigraphy and biodiversity dynamics of Dienerian (Early Triassic) ammonoids from the Northern Indian Margin. *The Palaeontological Association Newsletter*, 84; Annual Meeting Programme and Abstracts: 59–60.
- Warrington, G. 2013. Tale of a boundary (Abstract). *Geoscience in South-West England*, 13(2): 247.
- Warrington, G. 2013. Inside a Mid Triassic fluvial deposit in Cheshire (Abstract). *Geoscience in South-West England*, 13(2): 247.
- Waters, C.N., Bridge, D.M., Humpage, A.J., Barclay, W.J. & Smith, N.J.P. 2013. Geology of the Dudley district—a brief explanation of the geological map. Sheet Explanation of the British Geological Survey, 1:50 000 Sheet 167 Dudley (England and Wales). Keyworth, Nottingham: British Geological Survey, ii+46 pp.
- Wawrzyniak, Z., Filipiak, P. & Kenrick, P. 2013. New Triassic floras from Southern Poland. *The Palaeontological Association Newsletter*, 84; Annual Meeting Programme and Abstracts: 93.
- Wei Shi, Shu-Wen Dong, Ratschbacher, L., Mi Tian, Jian-Hua Li & Guo-Li Wu. 2013. Meso-Cenozoic tectonic evolution of the Danyang Basin, north-central Yangtze craton, central China. *International Geology Review*, 55(3): 382–396.
- Wei Yang, Jolivet, M., Dupont-Nivet, G., Zhaojie Guo, Zhicheng Zhang & Chaodong Wu. 2013. Source to sink relations between the Tian Shan and Junggar Basin (northwest China) from Late Palaeozoic to Quaternary: evidence from detrital U-Pb zircon geochronology. *Basin Research*, 25(2): 219–240.
- Wei-Jen Chen, Lavoué, S. & Mayden, R.L. 2013. Evolutionary origin and early biogeography of otophysan fishes (Ostariophysi: Teleostei). *Evolution*, 67(8): 2218–2239.
- Weinbaum, J.C. 2013. Postcranial skeleton of *Postosuchus kirkpatricki* (Archosauria: Paracrocodylomorpha), from the Upper Triassic of the United States. Geological Society, London, Special Publications, 379: 525–553.
- Weissert, H. 2013. C-isotope geochemistry – tool for chemostratigraphy and carbon-cycle history. *Ciências da Terra*, 18: 19–22.
- Wen Wen, Qi-yue Zhang, Shi-xue Hu, Benton, M.J., Changyong Zhou, Xie Tao, Jin-yuan Huang & Zhong-qiang Chen. 2013. Coelacanths from the Middle Triassic Luoping biota, Yunnan, South China, with the earliest evidence of ovoviviparity. *Acta Palaeontologica Polonica* 58(1): 175–193.
- Wen-Liang Xu, Fu-Ping Pei, Feng Wang, En Meng, Wei-Qiang Ji, De-Bin Yang & Wei Wang. 2013. Spatial-temporal relationships of Mesozoic volcanic rocks in NE China: constraints on tectonic overprinting and transformations between multiple tectonic regimes. *Journal of Asian Earth Sciences*, 74: 167–193.
- Wendruff, A.J. & Wilson, M.V.H. 2013. New Early Triassic coelacanth in the family Laugiidae (Sarcopterygii: Actinistia) from the Sulphur Mountain Formation near Wapiti Lake, British Columbia, Canada. *Canadian Journal of Earth Sciences*, 50(9): 904–910.
- Wenjiao Xiao, Windley, B.F., Allen, M.B. & Chunming Han. 2013. Paleozoic multiple accretionary and collisional tectonics of the Chinese Tianshan orogenic collage. *Gondwana Research*, 23(4): 1316–1341.
- Wilson, L.A.B., Furrer, H., Stockar, R. & Sánchez-Villagra, M.R. 2013. A quantitative evaluation of evolutionary patterns in opercle bone shape in *Saurichthys* (Actinopterygii: Saurichthyidae). *Palaeontology*, 56(4): 901–915.
- Winguth, A. & Winguth, C. 2013. Precession-driven monsoon variability at the Permian-Triassic boundary – implications for anoxia and the mass extinction. *Global and Planetary Change*, 105: 160–170.
- Withjack, M.O., Schlische, R.W., Malinconico, M.L. & Olsen, P.E. 2013. Rift-basin development: lessons from the Triassic-Jurassic Newark Basin of eastern North America. Geological Society, London, Special Publications, 369: 301–321.
- Witzmann, F. 2013. Phylogenetic patterns of character evolution in the hyobranchial apparatus of early tetrapods. *Earth and Environmental Science Transactions of the Royal Society of Edinburgh*, 104(2): 145–167.
- Woods, A.D. 2013. Microbial ooids and cortoids from the Lower Triassic (Spathian) Virgin Limestone, Nevada, USA: evidence for an Early Triassic microbial bloom in shallow depositional environments. *Global and Planetary Change*, 105: 91–101.
- Wopfner, H. 2013. Late Palaeozoic – Early Triassic deposition and climates between Samfrau and Tethys: a review. Geological Society, London, Special Publications, 376: 5–32.
- Wright, N., Zahirovic, S., Müller, R.D.M. & Seton, M. 2013. Towards community-driven paleogeographic reconstructions: integrating open-access paleogeographic and paleobiology data with plate tectonics. *Biogeosciences*, 10(3): 1529–1541.
- Xiang Bai, Shuwen Liu, Wei Wang, Pengtao Yang & Qiugen Li. 2013. U-Pb geochronology and Lu-Hf isotopes of zircons from newly identified Permian–Early Triassic plutons in western Liaoning province along the northern margin of the North China Craton: constraints on petrogenesis and tectonic setting. *International Journal of Earth Sciences*, 102(3): 671–685.
- Xiangyang Xie & Heller, P.L. 2013. U-Pb detrital zircon geochronology and its implications: the early Late Triassic Yanchang Formation, south Ordos Basin, China. *Journal of Asian Earth Sciences*, 63: 86–98.
- Xiao-Wei Li, Xuan-Xue Mo, Xue-Hui Yu, Xiong-Fei Huang, Ping Wei & Wen-Yan He. 2013. Petrology and geochemistry of the early Mesozoic pyroxene andesites in the Maixiu area, west Qinling, China: products of subduction or syn-collision? *Lithos*, 172–173: 158–174.
- XiaoChun Liu, BorMing Jahn & SanZhong Li. 2013. Diachroneity of continental subduction and exhumation: constraints from the Permian-Triassic HP metamorphic terrane in the Tongbai orogen, central China. *Chinese Science Bulletin*, 58(35): 4397–4404.
- Xiaoxia Wang, Tao Wang & Chengli Zhang. 2013. Neoproterozoic, Paleozoic, and Mesozoic granitoid magmatism in the Qinling Orogen, China: constraints on orogenic process. *Journal of Asian Earth Sciences*, 72: 129–151.

- Xin Bushe, Yang Hua, Fu Jinhua, Wang Duoyun, Yao Jingli, Zhang Yu & Zuo Bo. 2013. SHRIMP U-Pb zircon age and its stratigraphic significance of tuff at the bottom of the Upper Triassic Nanying' er Group, Mount Baoji area, Jingyuan County, Gansu Province. *Geological Review*, 59(2): 267–273.
- Xin-chun Liu, Wei Wang, Shu-zhong Shen, Gorgij, M.N., Fa-cheng Ye, Yi-chun Zhang, Furuyama, G., Kano, A. & Xiao-zheng Chen. 2013. Late Guadalupian to Lopingian (Permian) carbon and strontium isotopic chemostratigraphy in the Abadeh section, central Iran. *Gondwana Research*, 24(1): 222–232.
- Xing, L., Klein, H., Lockley, M.G., Jianjun Li, Jianping Zhang, Matsukawa, M. & Jiafei Xiao. 2013. *Chirotherium* trackways from the Middle Triassic of Guizhou, China. *Ichnos*, 20(2): 99–107.
- Xing Li-da, Klein, H., Lockley, M. G., Wang Shi-li, Chen Wei, Ye Yong, Matsukawa, M. & Zhang Jian-ping. 2013. Earliest records of theropod and mammal-like theropod footprints in the upper Triassic of Sichuan Basin, China. *Vertebrata Palasiatica*, 51(3): 184–198.
- Xiucheng Tan, Qingsong Xia, Jingshan Chen, Ling Li, Hong Liu, Bing Luo, Jiwen Xia & Jiajing Yang. 2013. Basin-scale sand deposition in the Upper Triassic Xujiahe Formation of the Sichuan Basin, southwest China: sedimentary framework and conceptual model. *Journal of Earth Sciences*, 24(1): 89–103.
- Xuefeng Zhang, Tonglou Guo, Bo Liu, Xiaoyue Fu & Shuanglin Wu. 2013. Porosity formation and evolution of the deeply buried Lower Triassic Feixianguan Formation, Puguang gas field, NE Sichuan basin, China. *Open Journal of Geology*, 3(4): 300–312.
- Yang Lirong, Song Haijun, Tong Jinnan, Chu Daoliang & Tian Li. 2013. The extinction pattern of fusulinids during the Permian-Triassic crisis at the Kaijiaping section, Cili, Hunan Province. *Acta Micropalaeontologica Sinica*, 30(4): 353–366.
- Yanlong Chen, Twitchett, R.J., Haishui Jiang, Richoz, S., Xulong Lai, Chunbo Yan, Yadong Sun, Xiaodan Liu & Wang, L. 2013. Size variation of conodonts during the Smithian-Spathian (Early Triassic) global warming event. *Geology*, 41(8): 823–826.
- Yanqiu Zhang, Krause, M. & Mutti, M. 2013. The formation and structure evolution of Zechstein (Upper Permian) salt in Northeast German Basin: a review. *Open Journal of Geology*, 3(8): 411–426.
- Yan-hao Lin, Ze-ming Zhang, Xin Dong, Hua Xiang & Rong Yan. 2013. Early Mesozoic metamorphism and tectonic significance of the eastern segment of the Lhasa terrane, south Tibet. *Journal of Asian Earth Sciences*, 79: 160–183.
- Yao-Hui Jiang, Ru-Ya Jia, Zheng Liu, Shi-Yong Liao, Peng Zhao & Qing Zhou. 2013. Origin of Middle Triassic high-K calc-alkaline granitoids and their potassic microgranular enclaves from the western Kunlun orogen, northwest China: a record of the closure of Paleo-Tethys. *Lithos*, 156–159: 13–30.
- Yapaskurt, O.V. & Shikhanov, S.E. 2013. Stages of mineral formation in early Triassic to Quaternary deposits with implications for the geodynamic evolution of the Koltogor-Urengoy trough system, West Siberian Plate. *Moscow University Geology Bulletin*, 68(6): 329–338.
- Yarmolyuk, V.V., Kuzmin, M.I., Vorontsov, A.A. & Khomutova, M.Yu. 2013. West Pacific-type convergent boundaries: role in the crust growth history of the central-Asian orogen. *Journal of Asian Earth Sciences*, 62: 67–78.
- Yarmolyuk, V.V., Kuz'min, M.I. & Vorontsov, A.A. 2013. West Pacific-type convergent boundaries and their role in the formation of the Central Asian Fold Belt. *Russian Geology and Geophysics*, 54(12): 1427–1441.
- Yi Duan, Yiding Yuan & Raorong Qian. 2013. Migration features of crude oil in fluvial deposits of Maling oilfield in Ordos Basin, China. *Organic Geochemistry*, 58: 78–85.
- Yin HongFu & Song HaiJun. 2013. Mass extinction and Pangea integration during the Paleozoic-Mesozoic transition. *Science China Earth Sciences*, 56(1): 1–13.
- Yong-Fei Zheng, Wen-Jiao Xiao & Guochun Zhao. 2013. Introduction to tectonics of China. *Gondwana Research*, 23(4): 1189–1206.
- Yousefirad, M. 2013. Using conodont elements to distinguish Permian-Triassic boundary disconformity near Haftad Gholleh, central Iran. *Earth Sciences Research Journal*, 17(1): 61–65.
- Yuan-Bao Wu & Yong-Fei Zhang. 2013. Tectonic evolution of a composite collision orogen: an overview on the Qinling-Tongbai-Hong'an-Dabie-Sulu orogenic belt in central China. *Gondwana Research*, 23(4): 1402–1428.
- Yueyun Wang, Weiming Fan, Guowei Zhang & Yanhua Zhang. 2013. Phanerozoic tectonics of the South China Block: key observations and controversies. *Gondwana Research*, 23(4): 1273–1305.
- Yümün, Z.Ü., Kiliç, A.M., Martini, R., Metzger, J. & Tunç, M. 2013. Late Triassic and Lower Jurassic foraminifera of the carbonate platform of the Beyaz Aladağ Group (Eastern Taurus, Turkey): new stratigraphic implications. *Geobios*, 46(5): 447–459.
- Yunpeng Wang, Changyi Zhao, Hongjun Wang, Zhaoyun Wang & Zecheng Wang. 2013. Origins of natural gases from marine strata in northeastern Sichuan Basin (China) from carbon molecular moieties and isotopic data. *Journal of Asian Earth Sciences*, 65: 13–20.
- Yunyan Ni, Jinxing Dai, Guangyu Zhu, Shuichang Zhang, Dijia Zhang, Jin Su, Xiaowan Tao, Fengrong Liao, Wei Wu, Deyu Cong & Quanyou Liu. 2013. Stable hydrogen and carbon isotopic ratios of coal-derived and oil-derived gases: a case study in the Tarim basin, NW China. *International Journal of Coal Geology*, 116–117: 302–313.
- Zakharov, Y.D. & Abnavi, N.M. 2013. The ammonoid recovery after the end-Permian mass extinction: evidence from the Iran-Transcaucasia area, Siberia, Primorye, and Kazakhstan. *Acta Palaeontologica Polonica*, 58(1): 127–147.
- Zakharov, Y.D., Bondarenko, L.G., Smyshlyayeva, O.P. & Popov, A.M. 2013. Late Smithian (Early Triassic) ammonoids from the *Anasibirites nevolini* Zone of South Pimorye, Russian Far East. In: Tanner, L.H., Spielmann, J.A. & Lucas, S.G. (eds.), *The Triassic System: New Developments in Stratigraphy and Paleontology*. New Mexico Museum of Natural History and Science, Bulletin 61: 597–612.
- Zamannejad, A., Jahani, D., Lotfpour, M. & Movahed, B. 2013.

- Mixed evaporite/carbonate characteristics of the Triassic Kangan Formation, offshore area, Persian Gulf. *Revista Mexicana de Ciencias Geológicas*, 30(3): 540–551.
- Zanchetta, S., Berra, F., Zanchi, A., Bergomi, M., Caridroit, M., Nicora, A. & Heidarzadeh, G. 2013. The record of the Late Palaeozoic active margin of the Palaeotethys in NE Iran: constraints on the Cimmerian orogeny. *Gondwana Research*, 24(3-4): 1237–1266.
- Zatoń, M., Taylor, P.D. & Vinn, O. 2013. Early Triassic (Spathian) post-extinction microconchids from western Pangea. *Journal of Paleontology*, 87(1): 159–165.
- Zeng, Y.H., Fu, X.G., Zeng, S.Q. & Du, G. 2013. Upper Triassic potential source rocks in the Qiangtang Basin, Tibet: organic geochemical characteristics. *Journal of Petroleum Geology*, 36(3): 237–255.
- Zhang Cai-li, Zhang Lei, Chen Tiao-sheng & Zhang Yan. 2013. Provenance and parent rock types of Member 7 of Yanchang Formation (Triassic), Ordos Basin. *Acta Sedimentologica Sinica*, 31(3): 430–439.
- Zhang Feng-bo, Yang Yun-xiang, Cao Yan-ping, Bai Feng, Xu Ning, Jiang Hong-yan, Wang Le & Song Fu-ming. 2013. The compatibility experiment research on Chang 8 reservoir of Liuluoyu area in Xiasiwan oilfield. *Northwestern Geology*, 46(3): 197–202.
- Zhang Qingchun, Wang Kaiming, Luo Shunshu & Wuxiao Zhi. 2013. Study on the characteristics and origin of the oil shale in the Chang 7 Member, Yanchang Formation in Ordos Basin. *Advances in Geosciences*, 3(4): 197–209.
- Zhang, W., Wu, T.R., Feng, J.C., Zheng, R.G. & He, Y.K. 2013. Time constraints for the closing of the Paleo-Asian Ocean in the northern Alxa region: evidence from Wuliji granites. *SCIENCE CHINA Earth Sciences*, 56(1): 153–164.
- Zhao Li-Jun, Liu Jun, Li Chun & He Tao. 2013. A new thalattosaur, *Concavispina biseridens* gen. et sp. nov. from Guanling, Guizhou, China. *Vertebrata Palasiatica*, 51(1): 24–28.
- Zhao Yang, Ratschbacher, L., Jonckheere, R., Enkelman, E., Yunpeng Dong, Chuanbo Shen, Wiesinger, M. & Qian Zhang. 2013. Late-stage foreland growth of China's largest orogens (Qinling, Tibet): evidence from the Hannan-Micang crystalline massifs and the northern Sichuan Basin, central China. *Lithosphere*, 5(4): 420–37.
- Zhao Yun-xiang, Chen Jing-shan, Ding Xiong, Yao Jing-li, Li Shi-xiang & Li Ning. 2013. Vertical structure and dominating factors of Chang 9 sandbody from Yanchang Formation in Ordos Basin. *Acta Sedimentologica Sinica*, 31(1): 77–88.
- Zheng Yue-juan, Su Fei, Chen Shu-wang, Zhang Jian, Huang Xin & Gong Fan-hao. 2013. Inner happiness Balinyouqi Lower Triassic fossil discoveries of the road group. *Geological Bulletin of China*, 32(9): 1423–1435.
- Zhonghe Zhou & Antunes, M.T. 2013. Terrestrial Mesozoic stratigraphy. *Ciências da Terra*, 18: 95–98.
- Zhu, G., Su, J., Yang, H., Wang, Y., Fei, A., Liu, K., Zhu, Y., Hu, J. & Zhang, B. 2013. Formation mechanisms of secondary hydrocarbon pools in the Triassic reservoirs of the northern Tarim Basin. *Marine and Petroleum Geology*, 46: 51–66.
- Zhu Hai-hua, Zhong Da-kang, Li Qi-rong, Du Ben-qiang, Long Hui, Ma Yan-liang, Wu Lian-bo & Jiang Nan. 2013. Characteristics and controlling factors of Upper Triassic Xujiahe tight sandstone reservoir in southern Sichuan Basin. *Acta Sedimentologica Sinica*, 31(1): 167–175.
- Zhu Ru-kai, Bai Bin, Yuan Xuan-jun, Luo Zhang, Wang Pei, Gao Zhi-yong, Su Ling & Li Ting-ting. 2013. A new approach for outcrop characterization and geostatistical analysis of meandering channel sandbodies within delta plain setting using digital outcrop models: Upper Triassic Yanchang tight sandstone formation, Yanhe outcrop, Ordos Basin. *Acta Sedimentologica Sinica*, 31(5): 867–877.
- Zhu Tongxing, Feng Xintao, Wang Xiaofei & Zhou Mingkui. 2013. Reconstruction of the Triassic tectonic lithofacies paleogeography in Qiangtang region, northern Qinghai-Tibet Plateau, China. *Acta Geologica Sinica*, 87(2): 378–394.
- Zonneveld, J.-P. & Bistran, R. 2013. Bored bivalves in Upper Triassic (Norian) event beds, northeastern British Columbia, Canada. *Ichnos*, 20(2): 88–98.
- Zou Guangfu, Pan Zhongxi, Zhuang Zhonghai, Zhu Tongxing, Li Jianzhong & Feng Xintao. 2013. Phanerozoic paleomagnetism characteristics of the Qomolangma area in Tibet. *Acta Geologica Sinica*, 87(2): 517–527.
- Zulauf, G., Blau, J., Dörr, W., Klein, T., Krahl, J., Kustatscher, E., Petschick, R. & van de Schootbrugge, B. 2013. New U-Pb zircon and biostratigraphic data of the Tyros Unit, eastern Crete: constraints on Triassic palaeogeography and depositional environments of the eastern Mediterranean. *Zeitschrift der Deutschen Gesellschaft für Geowissenschaften*, 164(2): 337–352.
- Żyła, D., Wegierek, P., Owocicki, K. & Niedzwiedzki, G. 2013. Insects and crustaceans from the latest Early-early Middle Triassic of Poland. *Palaeogeography, Palaeoclimatology, Palaeoecology*, 371: 136–144.

Addendum to Warrington, G. 2014. New Triassic Literature. Albertiana, 41: 50–81.

- Axsmith, B.J. 2009. A new *Cynepteris* from the Upper Triassic of Arizona: potential implications for the early diversification of Schizaealean ferns. *International Journal of Plant Sciences*, 170(5): 657–665.
- Benson, R.B.J., Evans, M. & Druckenmiller, P.S. 2012. High diversity, low disparity and small body size in plesiosaurs (Reptilia, Sauropterygia) from the Triassic-Jurassic boundary. *PLoS ONE*, 7(3): e31838. doi:10.1371/journal.pone.0031838.
- Bomfleur, B., Taylor, E.L., Taylor, T.N., Serbet, R., Krings, M. & Kerp, H. 2011. Systematics and paleoecology of a new peltaspermalean seed fern from the Triassic polar vegetation of Gondwana. *International Journal of Plant Sciences*, 172(6): 807–835.
- Burliga, S., Koyi, H.A. & Chemia, Z. 2012. Analogue and numerical modelling of salt supply to a diapiric structure rising above an active basement fault. *Geological Society, London, Special Publications*, 363: 395–408.

- Butler, R.J., Barrett, P.M. & Gower, D.J. 2012. Reassessment of the evidence for postcranial skeletal pneumaticity in Triassic archosaurs, and the early evolution of the avian respiratory system. *PLoS ONE*, 7(3): e34094. doi:10.1371/journal.pone.0034094.
- Butler, R.J., Brusatte, S.L., Reich, M., Nesbitt, S.J., Schoch, R.R. & Hornung, J.J. 2011. The sail-backed reptile *Ctenosauriscus* from the latest Early Triassic of Germany and the timing and biogeography of the early archosaur radiation. *PLoS ONE*, 6(10): e25693. doi:10.1371/journal.pone.0025693.
- Callot, J.-P., Trocmé, V., Letouzey, J., Albouy, E., Jahani, S. & Sherhati, S. 2012. Pre-existing salt structures and the folding of the Zagros mountains. Geological Society, London, Special Publications, 363: 545–561.
- Chen Fei, Hu Guangyi, Sun Lichun, Fan Tailiang, Gao Zhiqian, Yu Xitong, Pang Zhenglian & Li Rangbin. 2012. Characteristics of sedimentary facies and evolution in sequence stratigraphic framework of the Upper Triassic Yanchang Formation in southern Ordos Basin. *Journal of Palaeogeography*, 14(3): 321–330.
- Cisneros, J.C., Cabral, U.G., de Beer, F., Damiani, R. & Fortier, D.C. 2010. Spondylarthritis in the Triassic. *PLoS ONE*, 5(10): e13425. doi:10.1371/journal.pone.0013425.
- Colombi, C.E., Fernández, E., Currie, B.S., Alcober, O.A., Martínez, R. & Correa, G. 2012. Large-diameter burrows of the Triassic Ischigualasto Basin, NW Argentina: paleoecological and paleoenvironmental implications. *PLoS ONE*, 7(12): e50662. doi:10.1371/journal.pone.0050662.
- Deng Xiuqin, Fu Jinhua, Yao Jingli, Pang Jinlian & Sun Bo. 2011. Sedimentary facies of the Middle-Upper Triassic Yanchang Formation in Ordos Basin and breakthrough in petroleum exploration. *Journal of Palaeogeography*, 13(4): 443–455.
- Escapa, I.H., Decombeix, A.-L., Taylor, E.L. & Taylor, T.N. 2010. Evolution and relationships of the conifer seed cone *Telemachus*: evidence from the Triassic of Antarctica. *International Journal of Plant Sciences*, 171(5): 560–573.
- Feldman-Olszewska, A., Adamczak-Biały, T. & Becker, A. 2012. Characterization of the Jurassic and Triassic reservoirs and seals from north Mazovia as a candidate site for CO₂ storage based on data from deep boreholes. *Biuletyn Państwowego Instytutu Geologicznego*, 448(1): 27–46.
- Feng Juanping, Li Wenhong & Ouyang Zhengjian. 2012. Sedimentary characters and geological implication of turbidite of the Chang 6 and Chang 7 intervals of the Upper Triassic Yanchang Formation in Huangling area, Ordos Basin. *Journal of Palaeogeography*, 14(3): 295–302.
- Ferrer, O., Jackson, M.P.A., Roca, E. & Rubinat, M. 2012. Evolution of salt structures during extension and inversion of the Offshore Parentis Basin (eastern Bay of Biscay). Geological Society, London, Special Publications, 363: 361–379.
- Fröbisch, J. 2008. Global taxonomic diversity of anomodonts (Tetrapoda, Therapsida) and the terrestrial rock record across the Permian-Triassic boundary. *PLoS ONE*, 3(11): e3733. doi:10.1371/journal.pone.003733.
- Fu Jinhua, Li Shixiang, Liu Xianyang & Deng Xiuqin. 2012. Sedimentary facies and its evolution of the Chang 9 interval of Upper Triassic Yanchang Formation in Ordos Basin. *Journal of Palaeogeography*, 14(3): 269–84.
- Gallois, R.W. 2009. The lithostratigraphy of the Penarth Group (Late Triassic) of the Severn Estuary area. *Geoscience in South-West England*, 12(2): 71–84.
- Garcia, M. de A., Ribeiro, H.J.S., de Souza, A.S. & Triguís, J.A. 2011. Correlation between faciology and organic geochemistry of the Pirambóia Formation tar sands, Betumita Farm, Triassic of the Paraná Basin, São Paulo State. *Geociências (Sao Paulo)*, 30(3): 357–369.
- González-León, C.M., Lawton, T.F. & Weber, R. 2011. Estratigrafía del Triásico y el Jurásico inferior de Sonora, México. *Boletín del Instituto de Geología*, 118: 57–80.
- Grasby, S.E., Sanei, H. & Beauchamp, B. 2011. Catastrophic dispersion of coal fly ash into oceans during the latest Permian extinction. *Nature Geoscience*, 4: 104–107.
- Guinot, G., Adnet, S. & Cappetta, H. 2012. An analytical approach for estimating fossil record and diversification events in sharks, skates and rays. *PLoS ONE*, 7(9): e44632. doi:10.1371/journal.pone.0044632.
- Holliday, C.M., Ridgely, R.C., Sedlmayr, J.C. & Witmer, R.M. 2010. Cartilaginous epiphyses in extant archosaurs and their implications for reconstructing limb function in dinosaurs. *PLoS ONE*, 5(9): e13120. doi:10.1371/journal.pone.0013120.
- Jakóbczik, S. & Kowalczyk, A. 2010. Groundwater chemistry of the Triassic carbonate aquifer in the Bibiela well field area in view of geochemical modelling. *Biuletyn Państwowego Instytutu Geologicznego*, 442: 79–84.
- Kitahara, M.V., Cairns, S.D., Stolarski, J., Blair, D. & Miller, D.J. 2010. A comprehensive phylogenetic analysis of the Scleractinia (Cnidaria, Anthozoa) based on mitochondrial CO1 sequence data. *PLoS ONE*, 5(7): e11490. doi:10.1371/journal.pone.0011490.
- Klein, N. 2010. Long bone histology of Sauropterygia from the Lower Muschelkalk of the Germanic Basin provides unexpected implications for phylogeny. *PLoS ONE*, 5(7): e11613. doi:10.1371/journal.pone.0011613.
- Kowal-Linka, M. & Bodzioch, A. 2012. Bonebeds with *Dactylosaurus* (Reptilia, Sauropterygia) from the Röt (Lower Triassic, Olenekian) in the Opole Silesia region (S Poland). *Przełąd Geologiczny*, 60(12): 646–649.
- Lin Yu, Wu Shenghe, Xu Zhangyou & Chen Ce. 2012. Applying multi-scale data to study diagenetic reservoir facies of the Upper Triassic Xujiahe Formation in Dayi Structure, western Sichuan Province. *Journal of Palaeogeography*, 14(4): 522–532.
- Liu Haowei, Wang Jian, Liu Qunming & Zhao Xin. 2012. Favorable reservoir distribution and its controlling factors in the Chang 8 interval of Upper Triassic Yanchang Formation in Jiyuan area, Ordos Basin. *Journal of Palaeogeography*, 14(3): 285–294.
- Mah, C.L. & Blake, D.B. 2012. Global diversity and phylogeny of the Asteroidea (Echinodermata). *PLoS ONE*, 7(4): e35644. doi:10.1371/journal.pone.0035644.
- Mander, L., Collinson, M.E., Chaloner, W.G., Brain, A.P.R. & Long, D.G. 2012. The ultrastructure and botanical affinity of the problematic mid-Mesozoic palynomorph *Ricciisporites*

- tuberculatus* Lundblad. International Journal of Plant Sciences, 173(4): 429–440.
- Mander, L., Wesseln, C.J., McElwain, J.C. & Punyasena, S.W. 2012. Tracking taphonomic regimes using chemical and mechanical damage of pollen and spores: an example from the Triassic-Jurassic mass extinction. PLoS ONE, 7(11): e49153. doi:10.1371/journal.pone.0049153.
- Martinez, R.N. & Alcober, O.A. 2009. A basal sauropodomorph (Dinosauria: Saurischia) from the Ischigualasto Formation (Triassic, Carnian) and the early evolution of Sauropodomorpha. PLoS ONE, 4(2): e4397. doi:10.1371/journal.pone.004397.
- Martz, J.W. & Parker, W.G. 2010. Revised lithostratigraphy of the Sonsela Member (Chinle Formation, Upper Triassic) in the southern part of Petrified Forest National Park, Arizona. PLoS ONE, 5(2): e9329. doi:10.1371/journal.pone.009329.
- Min Li, Ying Tian, Ying Zhao & Wenjun Bu. 2012. Higher level phylogeny and the first divergence time estimation of *Heteroptera* (Insecta: Hemiptera) based on multiple genes. PLoS ONE, 7(2): e32152. doi:10.1371/journal.pone.0032152.
- Mueller, C. & Reinhold, K. (eds.). 2011. Geological characterisation of deep-seated reservoir and barrier horizons in Germany. Schriftenreihe der Deutschen Gesellschaft für Geowissenschaften, 74: 244 pp.
- Onoue, T., Sato, H., Nakamura, T., Noguchi, T., Hidaka, Y., Shirai, N., Ebihara, M., Osawa, T., Hatsukawa, Y., Toh, Y., Koizumi, M., Harada, H., Orchard, M.J. & Nedachi, M. 2012. Deep-sea record of impact apparently unrelated to mass extinction in the Late Triassic. Proceedings of the National Academy of Sciences, 109(47): 19134–19139.
- Pan Liyin, Liu Zhanguo, Li Chang, Shou Jianfeng, Zhang Jianyong, Zhang Jie, Shen Anjiang, Zhou Jingao & Zheng Xingping. 2012. Dolomitization and its relationship with reservoir development of the Lower Triassic Feixianguan Formation in eastern Sichuan Basin. Journal of Palaeogeography, 14(2): 176–186.
- Petersen, H.I. & Lindström, S. 2012. Synchronous wildfire activity rise and mire deforestation at the Triassic-Jurassic boundary. PLoS ONE, 7(10): e47236. doi:10.1371/journal.pone.0047236.
- Qiang Zitong, Zeng Deming, Wang Xingzhi & Wu Shijiu. 2012. Isotopic geochemical characteristics of oolitic bank dolostones in the Lower Triassic Feixianguan Formation in northeastern Sichuan Province. Journal of Palaeogeography, 14(1): 13–20.
- Qiao Yanguo, Shi Zhiqiang, Wang Yanyan & Zhang Biao. 2012. The Late Permian- Early Triassic cyclostratigraphy in Shangsi section of Guangyuan area, Sichuan province: implications for P-T geological event based on wavelet analysis. Journal of Palaeogeography, 14(3): 403–410.
- Quintà, A., Tavani, S. & Roca, E. 2012. Fracture pattern analysis as a tool for constraining the interaction between regional and diapir-related stress fields: Poza de la Sal Diapir (Basque Pyrenees, Spain). Geological Society, London, Special Publications, 363: 521–532.
- Salamon, M.A., Niedźwiedzki, R., Lach, R., Brachanec, T. & Gorzelak, P. 2012. Ophiuroids discovered in the Middle Triassic hypersaline environment. PLoS ONE, 7(11): e49798. doi:10.1371/journal.pone.0049798.
- Sander, P.M., Xiaohong Chen, Long Cheng & Xiaofeng Wang. 2011. Short-snouted toothless ichthyosaur from China suggests Late Triassic diversification of suction feeding ichthyosaurs. PLoS ONE, 6(5): e19480. doi:10.1371/journal.pone.0019480.
- Shi Zhensheng, Zhao Zhengwang, Jin Hui & Song Haijing. 2012. Depositional characteristics and its geological significance of the Upper Triassic Xiaotangzi Formation in Sichuan Basin. Journal of Palaeogeography, 14(4): 477–486.
- Shi Zhiqiang, An Hongyan, Yi Haisheng, Zhang Hua & Zeng Deyong. 2011. Classification and characters of the Early Triassic anomalous carbonate rocks in Upper Yangtze area. Journal of Palaeogeography, 13(1): 1–10.
- Soares Júnior, A.V., Hasui, Y., Costa, J.B.S. & Machado, F.B. 2011. Rifting evolution and paleogeography of the Brazilian Equatorial Atlantic Margin: from Triassic to Holocene. Geociências (Sao Paulo), 30(4): 669–692.
- Tapanila, L. & Roberts, E.M. 2012. The earliest evidence of holometabolism insect pupation in conifer wood. PLoS ONE, 7(2): e31668. doi:10.1371/journal.pone.0031668.
- Tian Jingchun, Wang Wenzhi, Wang Feng, Wang Weihong & Zhang Jinquan. 2012. Palaeoearthquake deformation structures of the Chang 6 interval of Upper Triassic Yanchang Formation and superimposed relationship between sandbodies in Huachi-Qingyang area of Ordos Basin. Journal of Palaeogeography, 14(3): 303–310.
- Vanschoenwinkel, B., Pinceel, T., Vanhove, M.P.M., Denis, C., Jocque, M., Timms, B.V. & Brendonck, L. 2012. Toward a global phylogeny of the “living fossil” crustacean order of the Notostraca. PLoS ONE, 7(4): e34998. doi:10.1371/journal.pone.0034998.
- Wang Lan, Li Wenhui, Lin Tong & Wang Ruogu. 2012. Diagenesis and its influencing factors of the Chang 6 interval of Upper Triassic Yanchang Formation in Ordos Basin. Journal of Palaeogeography, 14(3): 311–320.
- Wang Yanyan, Zhang Biao, Shi Zhiqiang & Yi Haisheng. 2012. Oxygen and carbon isotopic records of the Late Triassic Carnian pluvial event deposits in northwestern Sichuan Province. Journal of Palaeogeography, 14(3): 375–382.
- Wu Shenghe, Fan Zheng, Xu Changfu, Yue Dali, Zheng Zhan, Peng Shouchang & Wang Wei. 2012. Internal architecture in alluvial fan in the Triassic Lower Karamay Formation in Karamay Oilfield, Xinjiang. Journal of Palaeogeography, 14(3): 331–340.
- Yang Wentao, Wang Xiaofeng, Yang Jianghai & Du Yuansheng. 2011. Soft-sediment deformation structures caused by palaeoearthquake in the Middle-Late Triassic in Yima area, western Henan Province. Journal of Palaeogeography, 13(6): 635–644.
- Yates, A.M., Neumann, F.H. & Hancox, P.J. 2012. The earliest post-Paleozoic freshwater bivalves preserved in coprolites from the Karoo Basin, South Africa. PLoS ONE, 7(2): e30228. doi:10.1371/journal.pone.0030228.
- Yukawa, H., Terada, K., Ge Sun & Suzuki, S. 2012. The oldest fossil forest in Japan discovered from the Upper

Triassic Nariwa Group, Okayama Prefecture, SW Japan – implication for reconstruction of depositional environment and paleovegetation. *Okayama University Earth Science Reports*, 19(1): 25–37.

Zhang Tianfu, Shou Jianfeng, Zheng Xingping, She Min & Pan Liyin. 2012. Spatial distribution and characterization of pore and throat of oolitic dolostone of the Lower Triassic Feixianguan Formation in northeastern Sichuan Province. *Journal of Palaeogeography*, 14(2): 187–196.

